

1981年度

A LIST OF PUBLICATIONS SENT FROM UJNR, JAPANESE AQUACULTURE PANEL  
TO U. S. PANEL AS AN INFORMATION EXCHANGE FOR 1980.

1. Bulletin of Tohoku Regional Fisheries Research Laboratory, No. 40 (1979).
2. Bulletin of Nansei Regional Fisheries Research Laboratory, No. 11 (1978).
3. Tsukidate, J. and S. Takamori. 1977. On the growth pattern in Zostera marina., Bull. Nansei Reg. Fish. Lab., 10 : 123-130.
4. Tsukidate, J. and S. Takamori. 1979. On the growth pattern in Zostera nana., Jap. J. Phycol., 27 : 91-94.
5. Fukuhara, O., S. Sakaguchi, S. Umezawa, M. Fujiya and T. Ogawa. 1978. Studies on the damage formation mechanisms of submerge explosion on fish-II. Analysis of the components regarding the damage of visceral organ in utilization of dummy fish., Bull. Nansei Reg. Fish. Res. Lab., 11 : 57-64.
6. Tsukidate, J. and S. Takamori. 1978. The seasonal fluctuation of the biomass of Zostera marina and Sargassum horneri and their attached zooplankton and phytoplankton in Hosonosu, Hiroshima Prefecture. Bull. Nansei Reg. Fish. Res. Lab., 11 : 33-46.
7. Fukuhara, O. and K. Ito. 1978. On the formation of the fins and squamation in the Japanese Parrot Fish, Oplegnathus fasciatus reared in the laboratory., Bull. Nansei Reg. Fish. Res. Lab., 11 : 9-17.
8. Fukuhara, O. 1978. Morphological studies of larva of Red Sea Bream-III Formation of black stripes., Bull. Nansei Reg. Fish. Res. Lab., 11 : 1-8.
9. Fukuhara, O. and K. Kuniyuki. 1978. Morphological development in the wild larvae of Madai, Chrysophrys major, as compared to that in the laboratory-reared larvae., Bull. Nansei Reg. Fish. Res. Lab., 11 : 19-25.
10. Ishioka, H. 1980. Stress reactions in the marine fish - I Stress reactions induced by temperature changes., Bull. Japan. Soc. Sci. Fish., 46 : 523-531.
11. Fukuhara, O. 1979. On the shrinkage of eggs and larvae of red sea bream, Chrysophrys major preserved in the formalin., The Aquaculture, 27 : 129-136.

12. Fukuhara, O. and T. Kishida. 1980. Some observations on the swimming behaviour as related to feeding in the red sea bream larvae reared under laboratory conditions., Bull. Nansei Reg. Fish. Res. Lab., 12 : 9-20.
13. Fukuhara, O., K. Yamamoto, W. Izumi and K. Ito. 1980. Basic study on deformation of seedling of marine fish - I. Abnormalities of vertebrae and colour patterns of the parrot fish, Oplegnathus fasciatus., Bull. Nansei Reg. Fish. Res. Lab., 12 : 21-30.
14. Saito, Y. 1980. Studies on the distribution of Sargassaceae in the Seto Inland Sea and its adjacent waters., Bull. Nansei Reg. Fish. Res. Lab., 12 : 51-68.
15. Kusuki, Y. 1977. Growth of the Japanese oyster in relation to chlorophyll a., Bull. Hiroshima Fish. Exper. Sta., 9 : 28-36.
16. Yamamoto, K. and K. Aoyama. 1977. Intake and blood level of oxytetracycline using binder in cultured yellowtails after oral administration. Bull. Ehime Pref. Fish. Exper. Sta., 1 : 18-22.
17. Yamamoto, K. and S. Sawada. 1977. Gas bubble disease found on cultured tiger puffer., Bull. Ehime Pref. Exper. Sta., 1 : 23-24.
18. Yamamoto, K., H. Tanaka and Y. Inoue. 1978. Tissue levels of oxolinic acid using binder in cultured yellowtails after oral administration., Bull. Ehime Pref. Fish. Exper. Sta., 2: 13-15.
19. Morizane, T. 1978. Effects of the rotifer cultured with baking yeast on the larval rock fish, Sebastes marmoratus, by enrichment with marine Chlorella before feeding., Bull. Ehime Pref. Fish. Exper. Sta., 2 : 1-3.
20. Oiwa, Y. and K. Tsurui. 1978. Vibrio sp. as a cause of disease for young Ayu, Plecoglossus altivelis, in artificial production., Bull. Ehime Pref. Fish. Exper. Sta., 2 : 16-18.
21. Fukuda, T. and K. Yamamoto. 1978. Comparison of recapture, growth and migration between hatchery-reared and wild ayu-fish after planting halfway up the Asahi river - IV (1977)., Bull. Fish. Exper. Sta. Okayama Pref., 1977, 62-78.

22. Yamamoto, S. 1978. Studies on the synthetic diets on the larval stage of ayu fish, Plecoglossus altivelis. Effects of some synthetic diets and pasted raw shrimp for the larvae., Bull. Fish. Exper. Sta. Okayama Pref., 1977, 137-143.
23. Terashima, S., K. Katayama, M. Shinohara and Z. Ikada. 1978. Hardening methods of the seed oyster, Ostrea (Crassostrea) gigas, for the culture of the oyster - 3., Bull. Fish. Exper. Sta. Okayama Pref., 1977, 150-156.
24. Ikeda, Z. and M. Shinohara. 1978. On the artificial seedling of the ark-shell, Anadara broughtonii, in tanks., Bull. Fish. Exper. Sta. Okayama Pref., 1977, 157-163.
25. Katsutani, K. and M. Murata. 1978. Experimental rearing of larvae of white shrimp, Metapenaeus monoceros., Bull. Fish. Exper. Sta. Okayama Pref., 1977, 164-168.
26. Katsutani, K. and M. Murata. 1978. Report of wounded individuals that appeared in white shrimp, Metapenaeus monoceros, in mass seedling., 1977, 169-172.
27. Ueki, N. 1978. On the mass culture of mixohalin rotifer, Brachionus plicatilis. - IV. Results of its production in 1977., Bull. Fish. Exper. Sta. Okayama Pref., 1977, 173-177.
28. Katayama, K., M. Shinohara and T. Sugiyama. 1978. On the cultural features of local varieties and green-type mutant of Porphyra yezoensis, and quality changes of their dried laver., Report Fish. Exper. Sta. Okayama Pref., 1-16.
29. Tanaka, N. 1976. A study on the relationship between phytoplankton and bacteria in the lake ecosystem., Doctor thesis, Kyoto University, 1-63.
30. Ohwada, K. 1972. Bioassay of biotin and its distribution in the sea. Marine Biol., 14 : 10-17.
31. Ohwada, K. and N. Taga. 1972. Distribution and seasonal variation of vitamin B<sub>12</sub>, thiamine and biotin in the sea., Marine Chem., 1 : 61-73.
32. Ohwada, K. and N. Taga. 1972. Vitamin B<sub>12</sub>, thiamine and biotin in Lake Sagami., Limnol. Oceanogr., 17 : 315-320.
33. Ohwada, K., M. Otsuhata and N. Taga. 1972. Seasonal cycles of vitamin B<sub>12</sub>, thiamine and biotin in the surface water of Lake Tsukui., Bull. Japan. Soc. Sci. Fish., 38 : 817-823.

34. Ohwada, K. and N. Taga. 1973. Seasonal cycles of vitamin B<sub>12</sub>, thiamine and biotin in Lake Sagami. Patterns of their distribution and ecological significance. *Int. Revue ges. Hydrobiol.*, 58 : 851-871.
35. Ohwada, K. 1975. Agar plate method for detection and enumeration of alkybenzenesulfonate-degrading microorganisms., *Appl. Microbiol.*, 29 : 40-43.
36. Nose, T., D. L. Lee and S. Arai. 1978. The effects of the withdrawal of single amino acid from an amino acid diet on the free amino acid composition of skeletal muscle in young carp., *Bull. Freshwater Res. Lab.*, 28 : 255-263.
37. Nose, T. 1979. Summary report on the requirements of essential amino acids for carp., *Proc. World Symp. on Finfish and Fishfeed Technology*, (Hamburg 20-23 June, 1978), 1 : 145-156.
38. Nose, T. 1979. Diet compositions and feeding techniques in fish culture with complete diets., *Proc. World Symp. on Finfish and Fishfeed Technology*, (Hamburg 20-23 June, 1978), 1 : 284-296.
39. Takeuchi, T., T. Watanabe and T. Nose. 1979. Requirement for essential fatty acids of chum salmon (Oncorhynchus keta) in freshwater environment., *Bull. Japan. Soc. Sci. Fish.*, 45 : 1319-1323.
40. - 56. *Advances in Aquaculture* (Papers presented at the FAO Technical Conference on Aquaculture, Kyoto, Japan, 26 May-2 June, 1976), Edited by T. V. R. Pillay and Wm. A. Dill, Fishing News Books Ltd (1979).
40. Furukawa, A. 1979. The aquaculture industry in Japan - Its present., *Advances in Aquaculture*, 45-50.
41. Asano, I. 1979. Strategy for future development of aquaculture in Japan., *Advances in Aquaculture*, 74-77.
42. Suzuki, R. 1979. The culture of common carp in Japan., *Advances in Aquaculture*, 161-166.
43. Kawatsu, H., A. Homma and K. Kawaguchi. 1979. Epidemic fish diseases and their control in Japan., *Advances in Aquaculture*, 197-201.
44. Kurata, H. and K. Shigeno. 1979. Recent progress in the farming of kuruma shrimp (Penaeus japonicus)., *Advances in Aquaculture*, 258-268.
45. Hirasawa, Y. and J. Walford. 1979. The economics of kuruma-ebi (Penaeus japonicus) shrimp farming., *Advances in Aquaculture*, 288-298.

46. Nakanishi, T. 1979. Rearing larvae and post-larvae of the king crab (Paralithodes camtschatica)., Advances in Aquaculture, 319-321.
47. Koganezawa, A. 1979. The status of Pacific oyster culture in Japan., Advances in Aquaculture, 332-337.
48. Mizumoto, S. 1979. Pearl farming in Japan., Advances in Aquaculture, 381-385.
49. Saito, Y. 1979. Seaweed aquaculture in the Northwest Pacific., Advances in Aquaculture, 402-410.
50. Fujiya, M. 1979. Coastal culture of yellowtail (Seriola quinqueradiata) and red seabream (Pagrus major) in Japan., Advances in Aquaculture, 453-458.
51. Kato, J., T. Noma and Y. Uekita. 1979. Design of floating breakwaters., Advances in Aquaculture, 458-466.
52. Tanaka, J. 1979. Utilization of heated discharge water from electric power plants in aquaculture., Advances in Aquaculture, 499-502.
53. Hanamura, N. 1979. Advances and problems in culture-based fisheries in Japan., Advances in Aquaculture, 541-547.
54. Kobayashi, T. 1979. Salmon propagation in Japan., Advances in Aquaculture, 554-560.
55. Ishida, R. 1979. Stocking of ayu, Plecoglossus altivelis, in the rivers of Japan., Advances in Aquaculture, 563-567.
56. Nose, T. and S. Arai. 1979. Recent advances in studies on mineral nutrition of fish in Japan., Advances in Aquaculture, 584-590.
57. Bulletin of Freshwater Fisheries Research Laboratory, vol. 26, no. 1 (Serial no. 50), 1976.
58. Bulletin of Freshwater Fisheries Research Laboratory, vol. 26, no. 2 (Serial no. 51), 1976.
59. Bulletin of Freshwater Fisheries Research Laboratory, vol. 27, no. 1 (Serial no. 52), 1977.
60. Bulletin of Freshwater Fisheries Research Laboratory, vol. 27, no. 2 (Serial no. 53), 1977.

61. Bulletin of Freshwater Fisheries Research Laboratory, vol. 28, no. 1 (Serial no. 54), 1978.
62. Bulletin of Freshwater Fisheries Research Laboratory, vol. 28, no. 2 (Serial no. 55), 1978.
63. Yamamoto, S. 1978. Examination concerning some synthetic diets for the larvae of ayu fish, Plecoglossus altivelis. Effects of supplemental ascorbic acid in the diets., Bull. Fish. Exper. Sta. Okayama Pref., 1977, 131-136.

A LIST OF PUBLICATIONS SENT FROM UJNR, JAPANESE AQUACULTURE PANEL  
TO U. S. PANEL AS AN INFORMATION EXCHANGE FOR 1980 - PART II.

64. Noma, T. 1980. On air bubble curtain (A.B.C.) as a water quality improving method. Bull. Natl. Res. Inst. Fish. Eng., 1 : 9-32.
65. Furusawa, M. and K. Ishii. 1980. A theory for measuring distribution density of fish school from acoustic echoes. Bull. Natl. Res. Inst. Fish. Eng., 1 : 143-156.
66. Koshiishi, Y. and Y. Yasunaga. 1980. Basic studies on the production of an additional stock of Red Sea Bream, Pagrus major. I. Production of vigorous seedlings. Bull. Japan Sea Reg. Fish. Res. Lab., 31 ; 1-15.
67. Yasunaga, Y. and Y. Koshiishi. 1980. Basic studies of problems on the propagation of Plaice, Paralichtys olivaceus. I. Acclimatization to low salinity, feeding and gathering behaviour. Bull. Japan Sea Reg. Fish. Res. Lab., 31 : 17-31.
68. Koshiishi, Y. and Y. Yasunaga. 1980. Some aspects of feeding characteristics of juvenile Plaice, Paralichtys olivaceus. Bull. Japan Sea Reg. Fish. Res. Lab., 31 : 33-40.
69. Koshiishi, Y. 1980. Growth of juvenile Chum Salmon, Oncorhynchus keta, reared in tanks supplied sea water in relation to food consumption, salinity and dietary protein content. Bull. Japan Sea Reg. Fish. Res. Lab., 31 : 41-55.
70. Ikehara, K., M. Nagahara, Y. Yamada and K. Naiki. 1980. Fundamental studies for establishing Rockfish culture techniques. V. Feeding experiments on young Rockfish, Sebastes thompsoni and Sebastes schlegeli during summer season. Bull. Japan Sea Reg. Fish. Res. Lab., 31 : 57-63.
71. Ikehara, K. and M. Nagahara. 1980. Fundamental studies for establishing Rockfish culture techniques. VI. The protein digesting ability and the favourable contents of protein in diets for the Rockfish Sebastes schlegeli. Bull. Japan Sea Reg. Fish. Res. Lab., 31 : 65-72.
72. Yasunaga, Y. 1980. Basic studies of mortality in transplantation of a few species of sandy beach bivalves. Bull. Japan Sea Reg. Fish. Res. Lab., 31 : 73-85.
73. Yasunaga, Y. 1980. Biological studies of one species of sandy beach bivalves, Kotamagai (Gomphina melanaegis), in the Japan Sea. Bull. Japan Sea Reg. Fish. Res. Lab., 31 : 87-113.
74. Tanaka, K. and T. Tanaka. 1980. On the age and the growth of Japanese Abalone, Nordotis discus, in the coast of Chiba Prefecture. Bull. Japan Sea Reg. Fish. Res. Lab., 31 : 115-127.

75. Yasunaga, Y. and Y. Koshiishi. 1980. Basic studies on searching of seedlings (Penaeus japonicus) after being seeded into the sea. Bull. Japan Sea Reg. Fish. Res. Lab., 31 : 129-151.
76. Koshiishi, Y. 1980. Rate of gastric evacuation in juvenile Chum Salmon, Oncorhynchus keta. Bull. Japan Sea Reg. Fish. Res. Lab., 31 : 161-164.
77. Tanaka, K. 1980. On the mass survivors of Japanese Scallop, Pecten (Notovola) albicans, in Tateyama Bay. Bull. Japan Sea Reg. Fish. Res. Lab., 31 : 165-168.
78. Fukusho, K. 1969. Notes on the intestinal convolution of the fishes of the Pomacentridae (Perciformes). Japan. J. Ichthy., 16 : 135-142.
79. Fukusho, K. 1975. Development of color pattern in Oplegnathus fasciatus, useful indicator in rearing. Japan. J. Ichthy., 22 : 23-30.
80. Fukusho, K. 1977. Satiation and digestion time in juvenile of the Percoid Fish Oplegnathus fasciatus. Japan. J. Ichthy., 24 : 193-198.
81. Fukusho, K., H. Iwamoto, M. Matsuoka, M. Imada and S. Fujita. 1978. The mass production of juveniles of the Percoid Fish, Oplegnathus fasciatus, using the rotifer Brachionus plicatilis fed on the special yeast., The Aquiculture, 26 : 71-81.
82. Fukusho, K., H. Iwamoto, T. Seikai and C. Kitajima. 1978. Effects of initial supply of Chlorella sp. on the copepod Tigriopus japonicus production in combination with the rotifer Brachionus plicatilis, feeding baker's yeast. Bull. Nagasaki Pref. Inst. Fish., 4 : 47-56.
83. Fukusho, K. and H. Nishinaka. 1979. Rearing experiment of juvenile of the Percoid Fish Oplengnathus fasciatus, fed on formula feeds. Bull. Nagasaki Pref. Inst. Fish., 5 : 107-109.
84. Fukusho, K., T. Arakawa and T. Watanabe. 1980. Food value of a Copepod, Tigriopus japonicus, cultured with w-yeast for larvae and juveniles of Mud Dab Limanda yokohamae. Bull. Japan. Soc. Sci. Fish., 46 : 499- 503.
85. Fukusho, K. 1980. Mass production of a Copepod, Tigriopus japonicus in combination culture with a Rotifer Brachionus plicatilis, fed w-yeast as a food source. Bull. Japan. Soc. Sci. Fish., 46 : 625-629.
86. Fukusho, K. 1979. Studies on fry production of Japanese Striped Knifejaw Oplegnathus fasciatus, with special reference to feeding ecology and mass culture of food organisms. Special Report Nagasaki Pref. Inst. Fish., 6 : 1-173.
87. Tanaka, Y. 1971. Studies on molluscan larvae - III. Anadara (Scapharca) broughtonii. Venus, 30 : 29-34.



88. Tanaka, Y. 1975. Culture of marine life. Textbook for marine fisheries research course. Japan Intern. Coop. Agency, 73-115.
89. Tanaka, Y. 1978. Spawning induction of the Abalone, Nordotis gigantea, by chemical control with hydrogen peroxide. Bull. Tokai Reg. Fish. Res. Lab., 96 : 93-101.
90. Tanaka, Y. 1979. Spawning induction in the Abalone, Nordotis gigantea, by addition of hydrogen peroxide. Proc. 7th Japan-Soviet Joint Symp. Aquaculture, Sept., 1978. 207-211.
91. Tanaka, Y. 1979. Identification of bivalve larvae - I. , Aquabiology, 1-2 : 27-33.
92. Tanaka, Y. 1979. An intermediate form between two Venerids, Gomphina melanaegis Romer and G. veneriformis (Lamarck), found in the western Japan Sea shores. Venus (Japan J. Malac.), 38 : 61-65.
93. Bulletin of the National Pearl Research Laboratory, No. 20 (1976).
94. Bulletin of the National Pearl Research Laboratory, No. 21 (1977).
95. Bulletin of the National Pearl Research Laboratory, No. 22 (1978).