

106

A list of publications sent from U.S.A. aquaculture panel, UJNR, to Japanese panel as an information exchange for 1983.

Books;

1. Colt, J., S. Mitchell, G. Tchobanoglous and A. Knight. 1979. The environmental requirements of fish. In; The use and potential of aquatic species for wastewater treatment, Appendix B. California State Water Resources Control Board (C.S.W.R.C.B.), Sacramento, California.
2. Stephenson, M., G. Turner, P. Pope, J. Colt, A. Knight and G. Tchobanoglous. 1980. The environmental requirements of aquatic plants. In; Ibid. Appendix A. C.S.W.R.C.B.
3. Pope, P., J. Colt and R. Ludwig. 1981. The environmental requirements of crustaceans. In; Ibid. Appendix C. C.S.W.R.C.B.
4. Bastian, R.K. and S.C. Reed. 1979. Aquaculture systems for wastewater treatment: Seminar proceedings and engineering assessment. U.S. Environmental Protection Agency (EPA), Washington.
5. Reed, S.C. and R.K. Bastian. 1980. Aquaculture systems for wastewater treatment: An engineering assessment. U.S.E.P.A.
6. U.S.E.P.A. 1982. Benefits and implementation potential of wastewater aquaculture.
7. Dufour, A.P. 1985. Health effects criteria for fresh recreational waters (prepublication). U.S.E.P.A.
8. Duke, T.W. 1982. Impact of man on the coastal environment. U.S.E.P.A.
9. Cabelli, V.J. 1983. Health effects criteria for marine recreational waters. U.S.E.P.A.
10. Mendola, D., J.S. Christopher, C.R. Alsten, W. Tabor and S.A. Serfling. 1985. A preliminary assessment of byproduct contamination in an aquaculture wastewater treatment system (unpublished report). U.S.E.P.A.
11. Yasutake, W.T. and J.H. Wales. 1983. Microscopic anatomy of salmonids: An atlas. U.S. Dept. of the Interior, Fish and Wildlife Service.
12. Dwyer, W.P. and H.R. Tisher. (?) A method for settleable solids removal in fish hatcheries. Development in fish culture, Bozeman information leaflet No.5 U.S. Dept. of the Interior, Fish and Wildlife Service.
13. Smith, C.E. and W.P. Dwyer. 1980. Photozone toxicity in rainbow trout, *Salmo gairdneri*. Ibid. No.13.
14. Smith, C.E., R.G. Piper and H.R. Tisher. 1981. The use of clinoptilolite and ion exchange as a method of ammonia removal in fish cultural systems. Ibid. No.20.

15. Roem,A.J. 1982. Reduction of zeolite bed clogging in water reconditioning systems used for aquaculture. Ibid. No.26.
16. Fast,A.W., D.K.Barclay and G.Akiyama. 1983. Artificial circulation of hawaiian prawn ponds. Sea Grant cooperative report, UNIHI-Seagrant-CR-84-01.
17. Kaplan,M. 1984. Access to waters and underwater lands for aquaculture in New York. Coastal Law Series, No.84-1. Sea Grant Law Program, State University of New York.
18. Desan,J.C., L.A.Nielsen and G.J.Flick. (?) Seafood processing wastes as fish meal substitutes in pelleted catfish feeds. Sea Grant Program, Virginia Polytechnic Institute and State University.
19. Owsley,D.E. 1979. Nitrogen gas removal using packed columns. Bio Engineering Symposium. Traverse City, Michigan. pp.1-27.

Pathology and Microbiology:

20. Wedemeyer,G.A., R.W.Gould and W.T.Yasutake 1983. Some potentials and limits of the leucocrit test as a fish health assessment method. J. Fish Biol. 23,711-716.
21. Elston,R. and G.S.Lockwood 1983. Pathogenesis of vibriosis in cultured juvenile red abalone, Haliotis rufescens Swainson. J. Fish Dis. 6,111-128.
22. Mulcahy,D., R.J.Pascho and C.K.Jenes 1983. Detection of infectious haematopoietic necrosis virus in river water and demonstration of waterborne transmission. J. Fish Dis. 6,321-330.
23. Mulcahy,D. and K.Bauersfeld 1983. Effect of loading density of sockeye salmon, Oncorhynchus nerka(Walbaum), eggs in incubation boxes on mortality caused by infectious haematopoietic necrosis. J. fish Dis. 6,189-193.
24. Mulcahy,D., R.J.Pascho and K.Jenes 1983. titre distribution patterns of infectious haematopoietic necrosis virus in ovarian fluids of hatchery and feral salmon populations. J. Fish Dis. 6,183-188.
25. Brown,C. and G.Roland 1984. Characterization of exotoxin produced by a shellfish-pathogenic Vibrio sp. J. Fish Dis. 7,117-126.
26. Burke,J.and D.Mulcahy 1983. Retention of infectious haematopoietic necrosis virus infectivity in fish tissue homogenates and fluids stored at three temperatures. J. Fish Dis. 6,543-547.
27. Mulcahy,D., C.K.Jenes and R.Pascho 1984. Appearance and Quantification of infectious haematopoietic necrosis virus in female sockeye salmon (Oncorhynchus nerka) during their spawning migration. Archives of Virology 80, 171-181.

28. Mulcahy,D., R.Pascho and C.K.Jenes 1983. Mortality due to infectious haematopoietic necrosis of sockeye salmon(Oncorhynchus nerka) fry in streamside egg incubation boxes. Can. J. Fish. Aquat. Sci., 40, 1511-1516.
29. Leong,J.K. 1983. A bioassay system for studying diseases in juvenile penaeid shrimp. In: CRC Handbook of Mariculture, Vol.1, Crustacean Aquaculture, pp.321-327. CRC Press Inc.
30. Elston,R., E.L.Elliot and R.R.Colwell 1982. Conchion infection and surface coating Vibrio: shell fragility, growth depression and mortalities in cultured oysters and clams, Crassostrea virginia, Ostrea edulis and Meracenaria mercenaria. J. fish Dis. 5, 265-284.
31. Greenberg,E.P., M.Duboise and B.Palhof 1982. The survival of marine vibrios in Mercenaria mercenaria, the hardshell clam. J. Food Safety, 4: 113-123.
32. Wedemeyer,G.A., N.C.Nelson and W.T.Yasutake 1979. Potentials and limits for the use of ozone as a fish disease control agent. In: Ozone: Science and engineering, Vol.1, pp. 295-318. Pergamon Press Ltd.
33. Bouck,G.R. 1980. Etiology of gas bubble disease. Trans. Amer. Fish. Soc. 109: 703-707.
34. Brady,Y.J. and R.D.Ellender 1982. The role of sediment in transmission of channel catfish virus disease. Mississippi-Alabama Sea Grant Consortium, pp.1-67.
35. Tettelbach,S.T., L.M.Petti and W.J.Blogoslawski 1984. Survey of Vibrio associated with a new haven harbor shellfish bed, emphasizing recovery of larval oyster pathogens. In: Vibrios in the Environment eds. by R.Colwell, pp.495-509. John Wiley & Sons, Inc.
36. Amend,D and R.Hedrick 1982. Whirling disease of salmonids. California Aquaculture,1-5. (California Sea Grant College Program)
37. Robohm,R.A. 1983. Pasteurella Piscicida. In: Antigens of fish pathogens, eds. by D.P.Anderson, M.Dorson and P.Dubourget, pp. 161-175. Collection Fondation Marcel Merieux, Lyon.
38. Brown,C. 1983. Bacterial disease in bivalve larval cultures and their control. In: Culture of Marine Invertebrates, Selected readings, eds.by C.J.Berg pp.230-242. Hutchinson Ross Publishing Company, Pennsylvania.
39. Robohm,R.A., C.Brown, M.E.Cox and W.J.Blogoslawski 1983. An evaluation of two commercial, miniaturized, multiple-test system in identifying bacteria from marine fish and shellfish. Rapp. P.-v. Reun. Cons. int. Explor. Mer, 182: 144-150.

Marine Invertebrates:

40. Talbot,P. 1981. The ovary of the lobster,Homarus americanus l. Architecture of the mature ovary. J. Ultra. Res. 76:235-248.

41. Lynn, J.W. and W.H. Clark 1983. A morphological examination of sperm-egg interaction in the freshwater prawn, Macrobrachium rosenbergii. Biol. Bull. 164:446-458.
42. Lynn, J.W. and W.H. Clark 1983. The fine structure of the mature sperm of the freshwater prawn, Macrobrachium rosenbergii. Biol. Bull. 164:459-470.
43. Sandifer, P.A. and J.W. Lynn 1980. Artificial insemination of caridean shrimp. In: Advances in invertebrates reproduction. eds. by W.H. Clark Jr. and T.S. Adams, pp.271-288. Elsevier North Holland. Inc.
44. Chamberlain, G.W. and A.L. Lawrence 1981. Maturation, reproduction and growth of Penaeus vannamei and P. stylirostris fed natural diets. J. World Maricult. Soc. 12(1):209-224.
45. Shang, Y.C. 1981. Freshwater prawn (Macrobrachium rosenbergii) production in Hawaii: Practices and economics. Sea Grant Miscellaneous Report pp.1-36.
46. Chu, Fu-Lin E., K.L. Webb, D. Hepworth and M. Roberts 1982. The acceptability and digestibility of microcapsules by larvae of Crassostrea virginica. J. Shell. res. 2:29-34.
47. Adams, A.E. and A.J. Paul 1983. Male parent size, sperm storage and egg production in the crab Chionoecetes bairdi (Decapoda, Majidae) Int. J. Invertebrate Reproduction 6:181-187.
48. Caillouet, C.W., J.P. Norris, E.J. Heald and D.C. Tabb 1976. Growth and yield of pink shrimp (Penaeus duorarum duorarum) in feeding experiments in concrete tanks. Trans. Amer. Fish. Soc. 105:259-266.
49. Chamberlain, G.W. and A.D. Lawrence 1983. Reproductive activity and biochemical composition of Penaeus setiferus and Penaeus azteus in the Gulf of Mexico. Sea Grant College Program, Texas A&M University, pp.1-35.
50. Oesterling, M.J. and W.D. Dupaul 1983. Closed system shedding of blue crabs: the virginia experience. Proceedings of the 8th annual tropical and subtropical fisheries conference of the Americas. pp.147-156.
51. Van Olst, J.C., J.M. Carlberg and J.T. Hughes 1980. Aquaculture (chapter 10), In: The biology and management of lobsters Vol. II, pp.333-384. Academic Press, Inc.

Environmental Sciences:

52. Klima, E.F., A.C. Jones and T.W. Roberts 1984. The tortugas sanctuary regulation January 1984, Executive summary. N.M.F.S. Galveston Laboratory, pp.1-9.
53. Bax, N.J. 1983. Early marine mortality of marked juvenile chum salmon (Oncorhynchus keta) released into Hood Canal, Puget Sound, Washington, in 1980. Can. J. Fish. Aquat. Sci., 40: 426-435.
54. Kapuscinski, A.R.D. and J.E. Lannan 1983. On density of chum salmon (Oncorhynchus keta) eggs in shallow matrix substrate incubators. Can. J. Fish. Aquat. Sci., 40: 185-191.

55. Clark, J. and B. McCarl 1983. An investigation of the relationship between Oregon coho salmon (Oncorhynchus kisutch) Hatchery releases and adult production utilizing law of the minimum regression. *Can. J. Fish. Aquat. Sci.*, 40:516-523.
56. Bouck, G.R. and R.E. King 1983. Tolerance to gas supersaturation in fresh water and sea water by steelhead trout, Salmo gairdneri Richardson. *J. Fish Biol.* 23: 293-300.
57. Saxton, A.M., R.N. Iwamoto and W.K. Hershberger 1983. Smoltification in the net-pen culture of accelerated coho salmon, Oncorhynchus kisutch Walbaum: prediction of saltwater performance. *J. Fish Biol.*, 22:363-370.
58. Brannon, E., C. Felsmann and L. Donaldson 1982. University of Washington zero-age coho salmon smolt production. *Aquaculture*, 28: 195-200.
59. Dickhoff, W.W., L.C. Folmar, J.L. Mighell and C.V.W. Mahnken 1982. Plasma thyroid hormones during smoltification of yearling and underyearling coho salmon and yearling chinook salmon and steelhead trout. *Aquaculture*, 28 : 39-48.
60. Gorbman, A., W.W. Dickhoff, J.L. Mighell, E.F. Prentice and F.W. Waknitz 1982. Morphological indices of developmental progress in the parr-smolt coho salmon, Oncorhynchus kisutch. *Aquaculture*, 28:1-19.
61. Folmar, L.C., W.W. Dickhoff, W.S. Zaugg and H.O. Hodgins 1982. The effects of arclor 1254 and NO. 2 fuel oil on smoltification and sea-water adaptation of coho salmon (Oncorhynchus kisutch). *Aquatic Toxicology*, 2: 291-299.
62. Nichols, J.W., G.A. Wedemeyer, F.L. Mayer, W.W. Dickhoff, S.T. Gregory, W.T. Yasutake and S.D. Smith 1984. Effects of freshwater exposure to arsenic trioxide on the parr-smolt transformation of coho salmon (Oncorhynchus kisutch). *Environmental Toxicology and Chemistry*, 3: 143-149.
63. Donaldson, L.R. and E.L. Brannon 198?. The use of warmed water to accelerate the production of coho salmon. *Fisheries*, 1:12-16.
64. Mulcahy, D. and R.J. Pascho 1984. Adsorption to fish sperm of vertically transmitted fish viruses. *Science*, 225:333-335.

Biochemistry:

65. Chu, Fu-Lin, E., J.L. Dupuy and K.L. Webb 1982. Polysaccharide composition of five algal species used as food for larvae of the american oyster, Crassostrea virginia. *Aquaculture*, 29:241-252.
66. Fenucci, J.L., A.L. Lawrence and Z.P. Zein-Eldin 1981. The effects of fatty acid and shrimp meal composition of prepared diets on growth. *J. World Maricult. Soc.*, 12:315-324.
67. Medcalf, D.G., J.H. Brannon, J.R. Scott, G.G. Allan, J. Lewin and R.E. Norris 198. Polysaccharides from microscopic red algae and diatoms. ?

68. Hardy,R.W., D.S.Mugrditchian and W.T.Iwaoka 1983. Storage stability of lipids in a dry salmonid diet. *Aquaculture*, 34:239-246.
69. Hardy,R.W., W.T.Iwaoka and E.L.Brannon 1979. A new dry diet with alternative oil sources for pacific salmon. *Proc. World Maricul. Soc.* 10:728-734.
70. Maugle,P.D., O.Deshimaru, T.Katayama and K.L.Simpson 1982. Effect of short-necked clam diets on shrimp growth and digestive enzyme activities. *Bull. Jap. Soc. Sci. Fish.*, 48:1759-1764.
71. Rhyne,C.F. and L.A.Crump 1983. Growth, nutrient uptake and carbohydrate production in laboratory cultures of Spirulina major(Cyanophyceae). Mississippi-Alabama Sea Grant Consortium, Project Number R/MT-4.
72. Marvin,K.T., R.C.Benton, L.M.Lansford and C.W.Caillouet 1977. Polymorphism in phosphohexose isomerase in white shrimp, Penaeus setiferus Lillaeus, and pink shrimp, P. duorarum duorarum. *Comp. Biochem. Physiol.*, 57b:95-97.
73. Marvin,K.T. and C.W.Caillouet 1976. Phosphoglucomutase polymorphism in white shrimp, Penaeus setiferus. *Comp. Biochem. Physiol.*, 53B:127-131.

Genetics:

74. Merrill,J.E. and J.R.Waaland 1979. Photosynthesis and respiration in a fast growing strain of Gigartina exasperata(Harvey and Bailey). *J. Exp. Mar. Biol. Ecol.*, 39:281-290.
75. Sylvester,A.W. and J.R.Waaland 1983. Clonning the red alga Gigartina exasperata for culture on artificial substrates. *Aquaculture*, 31:305-318.
76. Malecha,S.R. 1983. Crustacean genetics and breeding: an overview. *Aquaculture*, 33:395-413.
77. Sarver,D., S.Malecha and D.Onizuka 1979. Development and characterization of genetic stocks and their hybrids in Macrobrachium rosenbergii : physiological responses and larval development rates. *Proc. World Maricul. Soc.*, 10:880-892.
78. Lansford,L.M., C.W.Caillouet and K.T.Marvin 19???. Phosphoglucomutase polymorphism in two penaeid shrimps, Penaeus brasiliensis and Penaeus aztecus subtilis. *Fishery Bulletin*, 74:453-457.

Marine Plants:

79. Webb,K.L. and Fu-Lin E.Chu 1981. Phytoplankton as a food source for bivalve larvae. *Proc. 2nd Intl. Conf. Aquaculture Nutrition*, special publication No.2:272-291.
80. Kantrowitz,B.M. 1984. Launching a seaweed farm, a future source of energy. *Aquaculture magazine*,29-31.

81. Woessner, J. 1984. A final report on the commercial quality and value of nori produced in an OTEC-like system in Hawaii. Sea Grant College Program, Univ. of Hawaii, working paper No.53:1-15.
82. Waaland, J.R. 197?. Growth and strain selection in Gigartna exasperata (Florideophyceae). ?
83. Waaland, J.R. 19??. Colonization and growth of populations of Iridaea and Gigartina on artificial substrates. ?

Toxicology, Mariculture, Engineering:

84. Benita, P.W., K.Strawn, M.Johns and W.Griffin 1983. The commercial production of Mudminnows (Fundulus Grandis) for live bait: a preliminary economic analysis. Tex. J. Sci, 35:51-60.
85. Holt, J. and C.R.Arnold 1983. Effects of ammonia and nitrite on growth and survival of red drum eggs and larvae. Trans. Am. Fish. Soc., 112:314-318.
86. Sigler, M. and L.Leibovitz 1982. Acute toxicity of oil and bilge cleaners to larval american oysters (Crassostrea virginica). Bull. Environm. Contam. Toxicol., 29:137-145.
87. Lawrence, A.L., J.Fox and F.L.Castille 1981. Decreased toxicity of copper and maganese ions to shrimp nauplii (Penaeus stylirostris Stimpson) in the presence of EDTA. J. World Maricul. Soc., 12:271-280.
88. Nelson, D.A., A.Calabrese, R.A.Greig, P.P.Yevich and S.Chang 1983. Long-term silver effects on the marine gastropod Crepidula fornicata. Mar. Ecol. Prog. Ser. 12:155-165.
89. Calabress, A., J.R.Macinnis, D.A.Nelson, R.A.Greig and P.P.Yevich 1984. Effects of long-term exposure to silver or copper on growth, bioaccumulation and histopathology in the blue mussel Mytilus edulis. Marine Environ. Res., 11:253-274.
90. Gould, E. and R.A.Greig 1983. Short-term low-salinity response in lead-exposed lobsters, Homarus americanus (Milne edwards). J. Exp. Mar. Biol. Ecol., 69:283-295.
91. Rhodes, E.W. and J.C.Widman 1984. Density-dependent growth of the bay scallop, Argopecten irradians irradians, in suspension culture. International Council for the Exploration of the Sea. (Draft)
92. Hardy, R.W., J.E.Halver and E.L.Brannon 1979. Effect of dietary protein level on the pyridoxine requirement and disease resistance of chinook salmon. Proc. World Symp. on Finfish Nutrition and Fishfeed Technology, 1:254-260.
93. Cairns, J., A.L.Buikema, A.G.Heath and B.C.Parker 1978. Effects of temperature on aquatic organism sensitivity to selected chemicals. Virginia Water Resource Research Center, Bull.106:1-88.

94. Willoughby, H., H.N. Larsen and J.T. Bowen 1972. The pollution effects of fish hatcheries. *American Fishes and U.S. Trout News*, 17:1-3.
95. Griffin, W.L., J.S. Hanson, R.W. Brick and M.A. Johns 1981. Bioeconomic modeling with stochastic elements in shrimp culture. *J. World Maricul. Soc.* 12:94-103.
96. Johns, M., W. Griffin, A. Lawrence and D. Hutchins 1981. Budget analysis of shrimp maturation facility. *J. World Maricul. Soc.*, 12:104-109.
97. Collins, H.L., L.L. Holmstrand and W. Jesswein 19???. Bait leech, Nepheleopsis obscura culture and economic feasibility. Minnesota Sea Grant Program, Research Report No.9:1-20.
98. The Swedish Steering Committee on Aquaculture 1983. The environmental impact of aquaculture. Swedish Council for Planning and Coordination of Research in cooperation with the National Marine Resources Commission. pp.74.
99. Chamberlain, G.W., D.L. Hutchins and A.L. Lawrence 1981. Mono- and polyculture of Penaeus vannamei and P. stylirostris in ponds. *J. World Maricul. Soc.*, 12:251-270.
100. Bouck, G.R., B.D' Aoust, W.J. Ebel and R. Rulifson 1980. Atmospheric gas supersaturation: educational and research needs. *Trans. Am. Fish. Soc.*, 109:769-771.
101. Bouck, G.R. 1982. Gasometer: an inexpensive device for continuous monitoring of dissolved gases and supersaturation. *Trans. Am. Fish. Soc.*, 111:505-516.
102. Bouck, G.R. 1980. Air supersaturation in surface water: a continuing engineering and biological problem. Symposium on surface water impoundments asce, Paper No.7-32:1542-1551.
103. Piper, R.G. and C.E. Smith 1983. Use of clinoptilite for ammonia removal in fish culture systems. In: *Zeo-agriculture, Use of natural zeolites in agriculture and aquaculture*, eds. by W.G. Pond and F.A. Mumpton, International Committee on Natural Zeolites.
104. Wibbels, T.A. 1984. Orientation characteristics of immature Kemp's ridley sea turtles, Lepidochelys kempi. NOAA Technical Memorandum NMFS-SEFC-131.
105. Owsley, D.E. 1983. Reuse systems. Ontario trout farmers association annual convention, Toronto, Ontario.
106. ?. 19??. Water quality health effects criteria for marine and fresh recreational waters. ?.(Draft).