

A list of publications sent from U.S.A. aquaculture panel, UJNR, to Japanese panel as an information exchange for 1985.

Endocrinology

- 1) GOR<sup>D</sup>ON, E.G. et al.  
1985. Variations in thyroid hormone levels and in performance in the seawater challenge test accompanying development in coho salmon raised in hawaii. *Aquaculture*, 45, 121-132.
- 2) GORDON GRAU, E, et al.  
1984. Bioassay for Salmon Prolactin Using Hyphysectomized Fundulus heterocitus. *Gen. Comp. Endocrinol.* 53: 78-85.
- 3) DAVIS, K.  
1984. Biotic and Abiotic Influences on Corticosteroid Hormone Rhythms in Channel Catfish. *Trans. Amer. Fish. Soc.* 113: 414-421.
- 4) SPECKER, J.L. et al.  
1984. Environmental salinity and the thyroidal response to thyrotropin in juvenile coho salmon(Oncorhynchus kisutch). *J. Exp. Zool.* 230: 329-333.
- 5) SOWER, S.A. et al.  
1984. Effects of estradiol and diethylstilbesterol on sex reversal and mortality in atlantic salmon(Salmo salar). *Aquaculture* 43: 75-81.
- 6) SULLIVAN, C.V. et al.  
1985. Changes in the hemoglobin system of the coho salmon Oncorhynchus kisutch during smoltification and triiodothyronine and propylthiouracil treatment. *Comp. Biochem. Physiol.* 81: 807-813.
- 7) SPECKER, J.L. et al.  
1984. Development-associated changes in thyroxine kinetics in juvenile salmon. *Endocrinology* 115: 399-406.
- 8) PERRY, D.M.  
1984. Post-fertilization changes in the chorion of winter flounder, Pseudopleuronectes americanus Walbaum, eggs observed with scanning electron microscopy. *J. Fish Biol.* 25: 83-94.
- 9) BRUCE, M.J. et al.  
1984. Demonstration of a molt-inhibiting hormone from the sinus gland of the lobster, Homarus americanus. *Comp. Biochem. Physiol.* Vol.79A, 421-424.

Nutrition and Biochemistry

- 10) KOPF, G.S. et al.  
1983. Regulation of abalone sperm cyclic amp concentrations and the acrosome reaction by calcium and methylxanthines. *Develop. Biol.* 98: 28-36.

- 11) CHANG, S. et al.  
1985. Interpretation of synergistic and antagonistic effects of multiple factor combinations in nature.(Draft) International Council for the Exploration of the Sea. pp.1-24.
- 12) STEPHENS, G.C.  
1978. Dissolved organic material and the nutrition of marine bivalves. The World Mariculture Society. pp.338-357.
- 13) MANAHAN, D.T. et al.  
1983. The use of high performance liquid chromatography to measure dissolved organic compounds. Aquaculture, 32: 339-346.
- 14) SHERIDAN, M.A. et al.  
1985. Changes in the fatty acid composition of steelhead trout, Salmo gairdnerii Richardson, associated with parr-smolt transformation. Comp. Biochem. physiol. vol.80B, 671-676.
- 15) SHERIDAN, M.A. et al.  
1984. Partial purification of a triacylglycerol lipase isolated from steelhead trout (Salmo gairdneri) adipose tissue. Lipids 19:347-352.
- 16) D'ABRAMO, L.D. et al.  
1984. Sterol requirement lobsters, Homarus sp. Aquaculture, 42: 13-25.
- 17) GOUDIE, C.A.  
1985. Distribution and elimination of a synthetic steroid from fish tissues. Research Information Bulletin No. 85-17.
- 18) KRISE, F.K. and R.W. GOULD  
1985. Decreasing protease treatment time when removing adhesiveness from walleye eggs. Research Information Bulletin. No. 85-1.
- 19) HUGHES, S.G. et al.  
1984. Effects of dietary excess of branched-chain amino acids on the metabolism and tissue composition of lake trout(Salvelinus namaycush). Comp. Biochem. Physiol. 78: 413-418.
- 20) HUGHES, S.G.  
1985. Evaluation of glutamic acid and glycine as sources nonessential amino acids for lake trout(Salvelinus namaucush) and rainbow trout(Salmo gairdnerii). Comp. Biochem. Physiol. 81: 669-671.
- 21) RUMSEY, G.L.  
198?. Niacin and cultured fishes. Feed Management. pp.42-52.
- 22) POSTON, H.A.  
1985. Dietary niacin prevent sunburn in rainbow trout exposed to ultraviolet light. Research Information Bulletin. No.85-2.

- 23) POSTON, H.A. and H.G. KETOLA  
1985. Correlation between chemical analyses of reproductive tissues and reproduction of atlantic salmon and landlocked salmon in 1983-84. Research Information Bulletin. 85-19.
- 24) POSTON, H.A.  
1985. Comparative nutritive value of L-methionine, L-cystine, DL-methionine, and methionine hydroxy analogue in trout diets. Research Information Bulletin. 85-73.
- 25) POSTON, H.A. and G.L. RAMSEY  
1985. Comparative chemical composition of tissues of Ocean-captured, river-captured sea-run, landlocked, and domestic atlantic salmon. Reserch Progress Report.
- 26) POSTON, H.A.  
1985. Vitamin requirements of finfishes: a review. Information Service, Animal Nutrition Department.
- 27) RHYNE, C.F.  
1983. Growth, nutrient uptake and carbohydrate production in laboratory cultures of Spirulina major(Cyanophyceae). Mississippi Sea Grant Consortium.
- 28) HERMAN, R.L.  
1985. Histopathology associated with pyridoxine deficiency in atlantic salmon (Salmo salar). Aqiculture, 46: 173-177.

Environmental Sciences and Toxicology

- 29) GREIG, R.A. et al.  
1985. Metals and PCB concentrations in mussels from long island sound. Bull. Environ. Contam. Toxicol. 35: 331-334.
- 30) CALABRESE, A. et al.  
1984. Ecotoxicological testing with marine molluscs. In: Ecotoxicological Testing for the Marine Environment.(Eds. G.Persoone et al.). pp.455-477.
- 31) CALABRESE, A. et al.  
1984. Effects of long-term exposure to silver or copper on growth, bioaccumulation and histopathology in the blue mussel Mytilus edulis. Marine Environmental Research. 11: 253-274.
- 32) PARKER, N.C. et al.  
1984. Total gas pressure and oxygen and nitrogen saturation in warmwater ponds aerated with airlift pumps. Aquacultural Engineering. 91-102.
- 33) FITZMAYER, K. et al.  
1982. Acute Toxicity Effects of Simazine on Daphnia pulex and Larval Striped Bass. Proc. Annu. Conf. SEAFWA. 146-156.

- 34) MARTIN, M.  
1985. The effects of hydrogen sulphide in catfish farming.  
Aquaculture Magazine, 39-41.
- 35) KETOLA, G.  
1985. Pollution: lowering levels of phosphorus, experimenting with feed,  
diets. Salmon, 11.
- 36) THE ENGELBERG REPORT  
1985. Health aspects of wastewater and excreta use in agriculture  
and aquaculture. The report of a review meeting of environmental  
specialists and epidemiologists(WHO).
- 37) LAKSHMI, G.J.  
1984. The effect of ammonia accumulation on blue crab shedding  
success. Mississippi Sea Grant Consortium. pp.1-51.
- 38) COOPER, K.  
1983. Larval habitat selection and recruitment of Mytilus edulis  
L. by chemical and tactile cues.(Abstract) Msc Thesis. Humbolt  
State University.
- 39) BURGER, C.V. et al.  
1985. Comparison of spawning areas and times for two runs of  
chinook salmon (Oncorhynchus tshawytscha) in the kenai river,  
alaska. Can. J. Fish. Aquat. Sci. 42: 693-700.

Pathology, Immunology and Cell biology

- 40) CIPRIANO, R.C. et al.  
1985. Detection of Vibrio anguillarum antigen by the blot assay.  
Journal of Wildlife Diseases, 21: 211-218.
- 41) MCALLISTER, P.E. et al.  
1985. Viral diseases of fish: First report of carp pox in Golden  
ide (Leuciscus idus) in North America. Journal of Wildlife  
Diseases, 21: 199-204.
- 42) MCALLISTER, P.E. et al.  
1984. Isolation of infectious pancreatic necrosis virus (serotype  
Ab) from diverse species of estuarine fish. HELGOLANDER  
MEERESUNTERSUCHUNGEN Helgolander Meeresunters, 37: 317-328.
- 43) SIMON, R.C. et al.  
1984. Tables of sample size requirements for detection of fish  
infected by pathogens: three confidence levels for different  
infection prevalence and various population sizes.  
Journal of Fish Diseases, 7: 515-520.
- 44) GREENBERG, E.P. et al.  
1982. The survival of marine vibrios in Mercenaria mercenaria,  
the hardshell clam. Journal of Food Safety, 4: 113-123.

- 45) HERMAN, R.L. et al.  
1985. Mesothelioma in raout, Salmo gairdneri richardson.  
Journal of Fish Diseases, 8: 373-376.
- 46) HERMAN, R.L. et al.  
1985. Steatitis in sunapee trout, Salvelinus alpinus oquassa  
Girard. Journal of Fish Diseases, 8: 237-239.
- 47) HERMAN, R.L.  
1983. Ichthyophonous-like infection in newts (Notophthalmus  
viridescens Rafinesque). Journal of Wildlife Diseases, 20: 55-56.
- 48) WOLF, K.  
1984. Fish viruses: Their biology, classification hosts,  
pathology, and control. In: Control of virus diseases.(Eds. by  
Edouard Kurstak), Marcel Dekker, Inc. New York.
- 49) MCALLISTER, et al.  
1984. Infectious pancreatic necrosis virus: isolation from rainbow  
trout, Salmo gairdneri Richardson, imported into Chile. J. Fish  
Dis. 7: 319-322
- 50) YUNG-CHIL, H. et al.  
1984. Isolation and characterization of bacterial pathogens from  
eels (Anguilla japonica) cultured in Korea. The Korean Journal of  
Microbiology. 22: 41-47.
- 51) HEJKAL, T.W. et al.  
1983. Bacteriological, virological and chemical evaluation of a  
wastewater-aquaculture system. Water Res. 17: 1749-1755.
- 52) CIPRIANO, R.C. et al.  
1985. Development of a culture medium for determination of  
sorbitol utilization among strains of Yersinia ruckeri. Microbios  
Letters 28: 79-82.
- 53) CIPRIANO, R.C. et al.  
1985. Comparative sensitivities of diagnostic procedures used to  
detect bacterial kidney disease in salmonid fishes. J. Wild. Dis.  
21: 144-148.
- 54) TETTELBACH, S.T. et al.  
1984. Survey of Vibrio associated with a New Haven harbor shellfish  
bed, emphasizing recovery of larval oyster pathogens. In: Vibriosis  
in the Environment(Eds. by D.R. Colwell), John Wiley & Sons, Inc.
- 55) SPARKS, A.K.  
1984. Founders lecture, John Gilman Mackin: a founding father of  
oyster pathology. J. Invertebrate Pathol. 43: 307-315.
- 56) SPARKS, A.K. et al.  
1985. A systemic microbial disease in the dungeness crab, Cancer  
magister, caused by a chlamydia-like organism.  
Journal of invertebrate pathology 45: 204-217.

- 57) MORADO, J.F. et al.  
1984. Acoccidian infection of the kidney of the native littleneck clam, Protothaca staminea. Journal of invertebrate pathology 43: 207-217.
- 58) HARRELL, L.W. et al.  
1985. Kudoa thyrsitis(Gilchrist) (Myxosporea:Multivalvulida) in atlantic salmon, Salmo salar L. Journal of fish diseases 8: 329-332.
- 59) MULCAHY, D. et al.  
1984. Appearance and quantification of infectious hematopoietic necrosis virus in female sockeye salmon(Oncorhynchus nerka)during their spawning migration. Archives of virology 80: 171-181.
- 60) MULCAHY, D. et al.  
1984. Comparison of in vitro growth characteristics of ten infectious haematopoietic necrosis virus. J. gen. Virol. 65:2199-2207.
- 61) BROWN, C. et al.  
1984. Characterization of exotoxin produced by a shellfish-pathogenic Vibrio sp. Journrl of Fish Diseases 7: 117-126.
- 62) PAPERNA, I. et al.  
1981. Parasites and diseases of mullets (mugilidae). In: Aquaculture of Grey Mulletts(Eds. by O.H. Oren), Cambridge Univ. Press. pp.411-493.
- 63) SPAPKS, A.K.  
1980. An invasive fungus disease of the tanner crab and its aquacultural connotations. Proc. UJNR 9th meeting. pp.61-67.
- 64) HUGHES, S.G.  
1985. Nutritional eye diseases in salmonids; a review. Prog. Fish-Cult., 47: 81-85.
- 65) BULLOCK, G.L.  
1985. Fish, pathogens and environment in European polyculture. Proc. Int. Seminar.(Abstract). Can. J. Fish. Aquat. Sci. 42:1057.
- 66) HEALY, G.R. et al.  
1984. Foodborne parasites. In: Compendium of methods for the microbiological examination of foods.(Eds. by M.L. Speck), pp. 542-556. American Public Health Association.
- 67) HOFFMAN, G.L. and G. SCHUBERT  
1984. Some parasites of exotic fishes. In: Distribution, biology, and management of exotic fishes. pp. 233-261. Johns Hopkins Univ. Press.
- 68) PHELPS, R.P.  
1985. Bacteria of public health significance associated with fish reared in treated wastewater. (Project summary), U.S. Environmental protection agency. pp.69.

- 69) ELLENDER, R.D. and D.W. COOK  
1982. Enterovirus in prohibited oyster and marine sediments.  
Mississippi-Alabama Sea Grant Consortium. pp.1-103.
- 70) MULCAHY, D. et al.  
1984. Adsorption to fish sperm of vertically transmitted fish viruses.  
Science 225: 333-335.
- 71) SMITH, S.D. and R.W. GOULD  
1985. Pre-release disease treatments with potassium permanganate  
(KMnO<sub>4</sub>) formalin, and terramycin(TM 50) safe for fall chinook  
salmon (Oncorhynchus tshawytscha) smolts. Research Information  
Bulletin No. 85-15.
- 72) WOLF, K. and G. RUMSEY  
1985. The representative research animal: Why rainbow trout? (Draft)
- 73) WOLF, K. et al.  
1984. Biology of contravening taxonomy in the myxozoa: new discoveries  
show alternation of invertebrate and vertebrate hosts. Science  
225: 1449-1452.
- 74) FOISSNER, W. et al.  
1985. Heteropolaria colisarum foissner & schubert, 1977 (Protozoa:  
Epistylididae) of north american freshwater fishes.  
Journal of Fish Diseases 8: 145-160.
- 75) SCHILL, W.B. et al.  
1984. Multilocus electrophoretic assessment of the genetic structure  
and diversity of Yersinia ruckeri. Appl. Environ. Microbiol.  
pp.975-979.
- 76) ANDERSON, D.P. et al.  
1984. Suppression of bath immunization in rainbow trout by contaminant  
bath pretreatments. In: Chemical Regulation of Immunity in Veterinary  
Medicine, Alan R. Inc. pp.289-293.
- 77) ANDERSON, D.P. et al.  
1984. Effects of chemically induced immune modulation on infectious  
diseases of fish. In: Chemical Regulation of Immunity in Veterinary  
Medicine, pp.187-211.
- 78) ROBOHM, R.A.  
1984. In vitro phagocytosis by molluscan hemocytes: a survey and  
critique of methods. Comp. Pathol. 6: 147-172.
- 79) CIPRIANO, R.C. et al.  
1983. Immunization of salmonids against the fish pathogen, Aeromonas  
salmonicida. J. World Maricult. Soc. 14: 201-211.

Mariculture, Engineering and Management

- 80) GEIGER, J.G. et al.  
1985. Survey of striped bass hatchery management in the southeastern united states. Prog. Fish-Cult. 47: 1-13.
- 81) PARKER, N.C. et al.  
1984. Chronobiologic approach aquaculture. Trans. Amer. Fish. Soc. 113: 545-552.
- 82) TUNG, G.  
1982. Jurisdictional issues in international law: Kelp farming beyond the territorial sea. Buffalo law review. 31: 885-907.
- 83) TREVELYAN, G.A. AND E.C. CHANG  
1982. Experiments on larval rearing of the californian mussel (Mytilus californianus). J. World Maricul. Soc. 14: 137-148.
- 84) GRIFFIN, W.L. et al.  
1984. A bioeconomic model of shrimp maricultural systems in the U.S.A. Ecological modelling, 25: 47-68.
- 85) MEADE, J.W.  
1985. Determine combinations that will maximize fish farm income. Aquaculture Magazine, 27-34.
- 86) ROTTIERS, D.V. and C.A. LEMM  
1985. Movement of underyearling walleyes in response to odor and visual cues. Prog. Fish-Cult. 47: 34-41.
- 87) HUDSON, R.G. and B.G. ISOM  
1984. Rearing juveniles of the freshwater mussels (unionidae) in a laboratory setting. The Nautilus 98: 129-135.
- 88) PARKER, N.C.  
1984. Technological innovations in aquaculture. Fisheries, 9: 13-16.
- 89) COREY, P.D. and M.J. ENGLISH  
1985. Optimization of feeding schedules in salmon hatcheries. Simulation 44: 81-93.
- 90) DOROSHV, S.I. et al.  
1983. Artificial propagation of the white sturgeon, Acipenser transmontanus richardson. Aquaculture, 32: 93-104.
- 91) BORDER C.E. and D.E. CONKLIN  
1981. Food consumption and growth of juvenile lobsters. Aquaculture, 24: 285-300.
- 92) BEYNON, J.L. et al.  
1981. Nocturnal activity of birds on shrimp mariculture ponds. J. World Maricul. Soc. 12: 63-70.
- 93) PARDY, C.R. et al.  
1983. A preliminary economic analysis of stocking strategies for penaeid shrimp culture. J. World Maricul. Soc. 14: 49-63.



- 94) JOHNS, M. et al.  
1981. Budget analysis of penaeid shrimp hatchery facilities.  
J. World Maricul. Soc. 12: 305-321.
- 95) WILKENFELD, J.S. et al.  
1981. Consumption of frozen and live artemia by protozoa of protozoa of Penaeus setiferus. J. World Maricul. Soc. 12: 250-259.
- 96) CHAMBERLAIN, G.W. and A.L.LAWRENCE  
1981. Effect of light intensity and male and female eyestalk ablation on reproduction. J. World Maricul. Soc. 12: 357-372.
- 97) SAMPLES, K.C. and P. LEUNG  
1985. The effect of production variability on financial risks of freshwater prawn farming in hawaii. Can. J. Fish. Aquat. 42: 307-311.
- 98) BORDNER, C.E. ET AL.  
1982. Assimilation of nutrients by cultured hybrid lobsters (Homarus sp.) fed experimental diets. J. World Maricul. Soc. 14: 11-24.
- 99) CONRAD, J.M.  
1982. Management of a multiple cohort fishery: the hard clam in great south bay. Amer. J. Agricul. Economics, 64: 463-474.
- 100) GOULD, C.A.  
1985. Evaluation of gender on growth of channel catfish. Research Information Bulletin. No. 85-16.
- 101) KLAR, G.T.  
1985. Coded wire tagging technique for striped bass. Research Information Bulletin. No.85-20.
- 102) PARKER, N.C.  
1984. Microtaggants for marking fish. Research Information Bulletin. No. 84-4.
- 103) PARKER, N.C. and J.G. GEIGER  
1985. Production methods for striped bass. In: The status of warmwater fish farming and progress in fish farming research. pp. 106-118. U.S. Fish and Wildlife Service, Washington, D.C.
- 104) PARKER, N.C.  
1985. Culture requirements for striped bass. In: The aquaculture of striped bass: a proceeding. pp.29-43. Maryland Sea Grant Program.
- 105) COLLINS, H. L.  
1985. Bait leech, Nepheleopsis obscura culture and economic feasibility. Minesota Sea Grant Program. pp.1-20.
- 106) COOPERATIVE EXTENSION UNIV. OF CALIFORNIA  
1985. Aquaculture References to selected West Coast Marine Species.
- 107) HOUGART, B. et al.  
1985. Practical Aquaculture Literature. A bibliography. pp.1-40.

- 108)POSTON, H.A. et al.  
198?. Comparative performance of atlantic salmon fry reared in single-pass and closed, water reuse systems.(Draft)
- 109)SMOKER, W.W.  
1984. Cold temperature limitation on growth of pink salmon fry. Alaska Sea Grant College Program. pp.1-8.
- 110)SEA GRANT CALIFORNIA  
1983. Report of the first california salmon and steelhead restoration conference. Bodega Bay, California.
- 111)SEA GRANT CALIFORNIA  
1984. Report of the second California salmon and steelhead restoration conference. Eureka, California.
- 112)KAPLAN, M.  
1984. State and local restrictions on siting coastal aquaculture in New York. New York Sea Grant Institute. Coastal Law Series. pp.1-154.
- 113)HARRELL, L.W.  
1985. Snake river fall chinook salmon brood-stock program, 1984. Coastal zone and estuarine studies division. N.M.F.C. pp.1-19.
- 114)KERBY, J.H. et al.  
1985. Culture of the striped bass and its hybrids: a review of methods, advances and problems. Univ. of North Calolina, Sea Grant. pp.23-54.
- 115)GREENLAND, D.C. et al.  
1984. Growth studies conducted on channel catfish fed diets with fish meal or fish meal substitute. Feedstuffs. 56: 20-21.
- 116)GREENLAND, D.C. et al.  
1985. Test commercial fish meal substitute. Aquaculture Magazine. 11: 48-49.
- 117)MARTIN, M.  
1984. The economic loss from bullfrogs eating fish. Aquaculture Magazine, 10: 39.
- 118)NAMPA STATE FISH HATCHERY  
1984. Proceedings: Nampa Workshop on spring and summer chinook salmon mortality.(Draft)
- 119)GREENLAND, D.C. AND LONG, C.H.  
1985. Growth of channel catfish fed sinking pelleted feeds containing either fish meal or a substitute studied. Feedstuffs, 28.
- 120)HUGH, A. AND H.G. KETOLA  
1985. Model nutrient profile of sea-captured atlantic salmon female. Research Information Bulletin. No. 85-43.

- 121)HUGH, A. AND R.C. WILLIAMS  
1985. Reduction of first-feeding atlantic salmon mortality.  
Research Information Bulletin. No. 85-44.
- 122)HUGH, A. et al.  
1985. Infulence of age at first spawning and cultural background  
of broodstock atlantic salmon on reproductive efficiency. Research  
Information Bulletin. No. 85-69.
- 123)KETOLA, H.G. AND G.L.RUMSEY  
1985. Comparison of survival atlantic salmon starter diets.  
Research Information Bulletin. No.85-35.
- 124)MUNCY, R.J.  
1985. Identifying hatchery-reared striped bass.  
Research Information Bulletin. No.85-50.

Genetics and Cell Biology

- 125)MALECHA, S.R. et al.  
1984. The feasibility of measuring the heritability of Growth  
pattern variation in juvenile freshwater prawns, Macrobrachium  
rosenbergii(De Man). Aquaculture, 38: 347-363.
- 126)LIDGERDING, B. et al.  
1984. Fish cell lines: characterization by isozyme analysis.  
IN VITRO 20: 167-171.
- 127)LONGWELL, A.C.  
1985. Triploid salmon as an inexpensive, practical, effective means  
of estimatig national contributions to asea fishery. International  
Council for the Exploration of the Sea. pp.8.
- 128)LONGWELL, A.C.  
1985. Subverting random segregation of genes to produce cloes of  
superior performing mollusks, fish or crustaceans. International  
Council for the Exploration of the Sea. pp.20.
- 129)MALECHA, S.R. et al.  
1983. Crustacean genetics and breeding: an overview. Aquaculture,  
33: 395-413.
- 130)SHIREMAN, J.V. and ALDRIDGE, F.J.  
1985. Hybrid grass carp production project. Dept. of Fish. and  
Aquaculture School of Forest Resources and Conservation Univ. of  
Florifda. pp.1-61.

## Marine Plants

- 131)NEUSHUL, M.  
1981. The domestication and cultivation of californian macroalgae.  
Xth International Seaweed Symposium. Waster de Gruyter & Co.,  
Berlin.
- 132)HANSEN, J.E. et al.  
1983. A physiological approach to mariculture of red algae.  
J. World Maricul. Soc. 14: 380-391.
- 133)KIMURA, R.S. et al.  
1984. The effects of harvesting Macrocystis pyrifera on the algal  
assemblage in giant kelp forest. Hydrobiologia, 116/117: 425-428.
- 134)MENCHER, F.M. et al.  
1983. Growth of nori (Porphyra tenera) in an experimental OTEC-  
aquaculture system in hawaii. J. World Maricul. Soc. 14: 458-470.
- 135)FULLER, M.P. et al.  
1984. Developmntal studies in Porphyra. 1. Blade differentiaion in  
Porphyra perfora as expressed by morphology, enzymatic digestion,  
and protoplast regeneration. J. Phycol. 20: 609-616.
- 136)HANSEN, J.E.  
1984. Strain selection and physiology in the development of  
Gracilaria mariculture. Hydrobiologia, 116/117: 89-94.
- 137)HANSEN, J.E.  
1983. Mariculture of marine plants: a critical pathway approach.  
Proc.of Oceans, 1: 890-894.
- 138)NEW YORK STATE ENERGY RESEARCH AND DEVELOPMENT AUTHORITY  
1982. Marine biomass: New York state species and site studies.  
pp.1-139.
- 139)MCKAY, L.B.(Eds.)  
1983. Seaweed raft and farmdesign in the united states and china.  
New York Sea Grant Institute.
- 140)BINIAMINOV, M.M. et al.  
1984. Vegetative propation of Porphyra perforata. Hydrobiologia:  
116/117: 308-313.
- 141)WIKFORS, G.H.  
1984. Influence of chemical composition of algal food sources on  
growth of juvenile oysters, Crassostra virginica. Biol. Bull. 167:  
251-263.

## Marine Invertebrates

- 142) PAUL, A.J.  
1984. Mating frequency and viability of stored sperm in the tanner crab Chionoecetes bairdi (Decapoda, Majidae). *J. Crustacean Biol.* 4: 375-381.
- 143) KOODA-CISCO M.J. and P. TALBOT  
1983. A technique for electrically stimulating extrusion of spermatophores from the lobster, Homarus americanus. *Aquaculture*, 30: 221-227.
- 144) LYNN, J.W. AND W.H. CLARK  
1983. The fine structure of the mature sperm of the freshwater prawn, Macrobrachium rosenbergii. *Biol. Bull.* 164: 459-470.
- 145) LYNN, J.W. AND W.H. CLARK  
1983. A morphological examination of sperm-egg interaction in the freshwater prawn, Macrobrachium rosenbergii. *Biol. Bull.* 164: 446-458.
- 146) KIRISE, W.F. et al.  
1985. Purification of cyclops by pH shock. *Crustaceana*, 48: 179-182.
- 147) BILL, R.G. AND F.P. THURBERG  
1985. Coughing: a new description of ventilatory reversals peversals produced by the lobster, Homarus americanus. *Comp. Biochem. Physiol.* 80: 333-336.
- 148) MORSE, D.E. et al. (Eds.)  
1984. Recent innovations in cultivation of pacific molluscs. In: *Developments in aquaculture and fisheries sciences*, vol. 14. pp.404. Elsevier.
- 149) PAUL, J.M. and A.J. PAUL  
1984. Reproductive cycle and gonad yield of green sea urchins in lower cook inlet, Alaska. *Alaska Sea Grant Report*. pp.1-21.
- 150) OESTERLING, M.J.  
1984. Manual for handling and shedding blue crabs (Callinectes sapidus). *Virginia Sea Grant Program*. pp.1-76.