

A List of Publication sent from Japanese Aquaculture Panel, UJNR, to U.S. Panel as an Information exchange for 1985.

- 1) TANAKA, N. AND OHWADA, K. et al.
1984. Seasonal occurrences of epiphytic micro-algae on the natural seaweeds and artificial seagrasses in Ago Bay. Bull of the Japan Soc of Sci Fish, 50:1665-1669.
- 2) SUZUKI, R. AND NAKANISHI, T. et al.
1985. Survival, growth and sterility of induced triploids in the cyprinid loach *Misgurnus anguillicaudatus*. Ibid, 51: 889-894.
- 3) FUNAKOSHI, S.
1985. Erythrocyte of *Barbatia (s) virescens* and particle as standard particle for measurement of electrophoretic mobility of marine molluscan cell. Ibid, 51:941-944.
- 4) AKIYAMA, T. AND ARAI, S. et al.
1985. Threonine, histidine and lysine requirements of chum salmon fry. Ibid, 51: 635-639.
- 5) 尾形博 新井茂
1985. ヨーロッパウナギ *Anguilla anguilla* 稚魚の遊離アミノ酸含量に及ぼす飼料タンパク質含量の影響。 Bull. of the Japan Soc of Sci Fish. 573-578.
- 6) OGATA, H. AND ARAI, S.
1985. Comparison of free amino acid contents in plasma, whole blood and erythrocytes of carp, coho salmon, rainbow trout, and channel catfish. Ibid, 51: 1181-1186.
- 7) TANAKA, N.
1985. Application of dialysis bags: measurement of in situ growth rate of naturally attached micro-algae. Ibid, 51: 745-748.
- 8) AKIYAMA, T. AND ARAI, S. et al.
1985. Tryptophan requirement of chum salmon fry. Ibid, 51: 1005-1008.
- 9) 福所邦彦 岡内正典
1984. テトラセミスで培養したシオミズツボウムシのマダイ仔稚魚に対する飼料価値。 Bull. of Japan Sci Fish. 1439-1444.
- 10) MURAI, T. AND AKIYAMA, T. et al.
1985. Effects of dietary protein and lipid levels on performance and carcass composition of fingerling carp. Ibid, 51: 605-608.
- 11) MURAI, T. AND AKIYAMA, T. et al.
1984. Composition of free amino acid in excretion of carp fed amino acid diets and casein-gelatin diets. Ibid, 50: 1957.
- 12) MURAI, T. AND AKIYAMA, T. et al.
1984. Simple methods for estimation of metabolizable energy and net

energy for production in diets for fingerling carp. Ibid, 50: 1791.

- 13) ISHIOKA, H.
1983. Isolated fin muscles of red sea breams for the in vitro metabolic studies. Ibid, 49: 1523-1526.
- 14) FUKUHARA, O. AND FUSIM, T.
1984. Squamation of larval greenling hexagrammos otakii (pices: hexagrammidae) reared in the laboratory. Ibid, 50: 759-761.
- 15) FUKUHARA, O.
1985. Functional morphology and behavior of early life stages of red sea bream. Ibid, 51: 731-743.
- 16) Bull natl res inst aquaculture. NO.6 (13 papers).
- 17) Bulletin of national research institute of aquaculture. NO.7 (12 papers).
- 18) CHANG, Y, J. AND MORI, K. et al.
1985. Studies on the scallop, patinopecten yessoensis, in sowing cultures in abashiri waters -reproductive periodcity. Tohoku Journal of Agricultural Research. 35: 91-105.
- 19) MORI, K. AND MURAYAMA, K. et al.
1984. Occurrence and characterization of the defense-factors in the japanese oyster crassostrea gigas. Ibid, 35: 55-68.
- 20) SUFI, G, B. AND MORI, K. et al.
1982. Effects of steroid hormones on spawning death and endocrine functions in masu salmon. Ibid, 33: 83-100.
- 21) MORI, K. AND NATORI, M. et al.
1981. Effects of estrogen on the activities of glucose-6-phosphate, isocitrate, succinate and malate japanese oyster, crassostrea gigas. Ibid, 32: 151-167.
- 22) SUFI, G, B. AND MORI, K. et al.
1980. Involution of thymus in relation to sexual maturity and steroid hormone treatments in salmonid fish. Ibid, 31: 97-105.
- 23) SUFI, G, B. AND MORI, M. et al.
1980. Histochemical changes in activities of dehydrogenases related to steroidogenesis in salmonid fishes (genus oncorhynchus) during sexual maturation and spawnig. Ibid, 31: 74-96.
- 24) SUFI, G, B. AND MORI, K. et al.
1978. Light microscopy the structural changes of the interrenal gland of chum salmon during the various stages of its life. Ibid, 29: 88-97.
- 25) SUFI, G, B. AND MORI, K. et al.
1978. Histochemical study of dehydrogenases relatated to steroidogesis in the fry and juvenile of chum salmon oncorhynchus keta. Ibid, 29: 44-61.

- 26) MORI, K.
1975. Seasonal variation in physiological activity of scallops under culture in the coastal waters of sanriku district, japan, and a physiological approach of a possible cause of their mass mortality. The Bull of the Marine Biological Station of Asamushi Tohoku University. 15: 57-79.
- 27) IMAI, T. AND MORI, K. et al
1968. Studies on the mass mortality of oysters in matsushima bay VII. pathogenetic investigation. TOHOKU J of Agri Res, 19: 250-265.
- 28) MORI, K.
1968. Changes of oxygen consumption and respiratory quotient in the tissues of oysters during the stages of sexual maturation and spawning. Ibid, 19: 136-143.
- 29) TAMATE, H. AND MORI, K. et al.
1967. Some aspects in the histochemistry of the hydroxysteroid dehydrogenases in vertebrate and invertebrate tissues. The Science Reports of the Tohoku Universty, Fourth Series, Biology, 33: 441-454.
- 30) TAKAHASHI, K. AND MORI, K.
1971. Seasonal variations in the metabolism of lipids and glycogen in the scallop, patinopecten yessoensis (JAY) II. histochemical studies. Tohoku J of Agri Res, 22: 134-145.
- 31) TAKAHASHI, K. AND MORI, K.
1971. Seasonal variations in the metabolism of lipids and glycogen in the scallop, patinopecten yessoensis (JAY) I. biochemical studies. Ibid, 22: 114-133.
- 32) MORI, K.
1967. Histochemical study on the localization and physiological significance of glucose-6-phosphate dehydrogenase system in the oyster during the stages of sexual maturation and spawning. Reprinted from the Tohoku Journal of Agricultural Research, 17: 287-301.
- 33) MORI, K. AND YAMATE, H. et al.
1966. Histochemical study on the change of 17 B-hydroxysteroid dehydrogenase activity in the oyster during the stages of sexual maturation and spawning. Ibid, 17: 179-191.
- 34) MORI, K. AND TAMATE, H. et al.
1965. Presence of -hydroxysteroid dehydrogenase activity in the tissues of maturing oysters. Ibid, 16: 147-157.
- 35) MORI, K. AND TAMATE, H. et al.
1964. Presence of hydroxysteroid dehydrogenase activity in the tissues of maturing oysters. Ibid, 15: 269-277.
- 36) 森勝義 菅原義雄
1974. 三陸沿岸における養殖ホタテガイの大量斃死に関する研究 - I 貧栄養, 貧栄養+振動の両実験条件下で発生する斃死について。 10-18.

1974.

- 37) MORI,K. AND IMAI,T. et al.
1965. Studies on the mass mortality of the oyster in matsushima bay changes in the oyster during the stages of sexual maturation and spawning. The Bull of Tohoku Regional Fisheries Research Laboratory. 25: 49-63.
- 38) TAMATE,H. AND NUMACHI,K. et al.
1965. Studies on the mass mortality of the oyster in matsushima bay pathological studies. Ibid, 25: 89-104.
- 39) MORI,K. AND TAMATE,H. et al.
1965. Studies on mass mortality of the oyster in matsushima bay changes in the metabolism of lipids and glycogen maturation and spawning. Ibid, 25: 65-88.
- 40) MORI,K. AND SATO,W. et al.
1985. Infestation of the japanese scallop patinopecten yessoensis by the boring polychaetes, polydora, on the okhotsk sea coast of hokkaido, especially in abashiri waters. Bull of the Japan Soc Fish. 51: 371-380.
- 41) KIJIMA,A. AND MORI,K. et al.
1984. Population differences in gene frequency of the japanese scallop patinopecten yessoensis on the okhotsk sea coast of hokkaido. Ibid, 50: 241-248.
- 42) MORI,A. AND ITSUKAICHI,S. et al.
1980. Activities of agglutinin and bactericidin oyster tissues. Ibid, 46: 1385-1389.
- 43) MORI,K. AND IONE,Y. et al.
1980. Defense mechanisms of molluscs-I. Bactericidal and agglutinin activities in the scallop tissues. Ibid, 46: 717-722.
- 44) MORI,K. AND OSANAI,K.
1977. Abnormal gonad development observed in one-year-old scallops cultivated in yamada bay. Ibid, 43: 9-17.
- 45) MORI,K. AND OSANAI,K.
1977. Seasonal gonad changes in scallops under culture in toni bay, iwate prefecture. Ibid, 43: 1-8.
- 46) MORI,K. AND SATO,R.
1975. Histochemical study of dehydrogenases related to steroidogenesis in the tissues of the immature chum salmon, oncorhynchus keta. Ibid, 41: 555-560.
- 47) MORI,K. AND TAMATE,H. et al.
1972. A histochemical study on the activities of some dehydrogenases associated with the steroid metabolism in the maturing abalona. Ibid, 39: 1075.

- 48) MORI,K.
1968. Effect of steroid on oyster. Activation of respiration in gonad by estradiol-17. Ibid, 34: 10.
- 49) MORI,K.
1968. Effect of steroid on oyster- Increase in rates of fertilization and development by estradiol-17 Ibid, 34: 11.
- 50) MORI,K. AND MURAMATSU,T. et al.
1969. Effect of steroid on oyster- Sex reversal from male to female in crassostrea gigas by estradiol-17 Reprinted from bulletin of the japanes society of scientific fisheries. 35: 1072-1076.
- 51) MORI,K.
1969. Effect of steroid on oyster- Acceleration of sexual maturation in female crassostrea gigas by estradiol-17 Bull of Japan Soc of Sci Fish. 35: 11.
- 52) MORI,K. AND MURAMATSU,T. et al.
1972. Effect of steroid on oyster- Acceleration of glycogenolysis in female crassostrea gigas by estradiol-17 injection natural conditions. Ibid, 38: 1185-1189.
- 53) MORI,K. AND MURAMATSU,T. et al.
1972. Effect of steroid on oyster- Indoor experiment on the glycogenolysis in female crassostrea gigas by estradiol-17 Ibid, 38: 1191-1196.
- 54) MORI,K.
1974. Seasonal variation in physiological activity of scallops under culture in the coastal waters of sanriku of a possible cause of a possibible cause of their mass mortality. 49-61.
- 55) MORI,K.
1975. Seasonnal variation in physiological activity of scallops under culture in the coastal waters of sanriku district, japan , and a physiological approach of apossible cause of their mass mortality. Proceedings of the third U.S.-Japan Meeting on Aquaculture at Tokyo, Japan . 49-61.
- 57) NAKAMURA,M. AND MORI,K. et al.
1985. In vitro production of hydrogen peroxide by the amoebocytes of the scallop, patinopecten yessoensis (jay).
- 58) MAKOTO,K. AND OSADA,M. et al.
1982. Gonadal prostaglandin profile during sexual maturation in the oyster, crassostrea gigas thunberg. Marine Biology Letters. 3: 223-230.
- 59) CHANG,Y. AND MATSUTANI,T. et al.
1984. Enzyme-histochemical localization of monoamine oxidase and acetylcholinesterase in the central nervous system of the scallop, patinopecten yessoensis. Ibid, 5: 335-345.

- 60) MORI, K.
1980. Physiological effects of 17-estradiol on the Japanese oyster *Crassostrea gigas*. 305-317.
- 61) 森勝義 野村正
水産無脊椎動物のステロイドホルモン
その生成と機能, 特に生殖と関連して。 480-487.
- 62) 森勝義
無脊椎動物の生体防御機構
アメリカロブスターの実験免疫学的研究。 267-274.
- 63) MIWA, S. AND INUI, Y.
1985. Effects of 1-chyroxine and ovine growth hormone on smoltification of amago salmon (*Oncorhynchus rhodurus*). GENERAL AND COMPARATIVE ENDOCRINOLOGY. 58: 436-442.
- 64) HIROSE, K.
1985. Effects of gonadotropin on water intake in the ayu, with special reference to ovarian maturation and ovulation. 221-222.
- 65) HIROSE, K. AND ADACHI, S. et al.
1985. Changes in plasma steroid hormone levels during sexual maturation in the ayu *Plecoglossus altivelis*. Bull of the Japan Soc of Sci Fish. 51: 399-403.
- 66) OHTA, H. AND SHINRIKI, Y. et al.
1984. Early distinction of the sex of hatchery-reared masu salmon, *Oncorhynchus masou*, using antiserum against egg yolk protein. 39: 67-74.
- 67) MATSUBARA, T. AND HARA, A. et al.
1985. Immunochemical identification and purification of coelomic fluid-specific protein in chum salmon (*Oncorhynchus keta*). Comp. Biochem. physiol. Vol. 81: 309-314.
- 68) TANAKA, N. AND KADOTA, H. et al.
1984. Bacteria. 361-367.
- 69) SORIMACHI, M. AND HARA, T.
Characteristics and pathogenicity of a virus isolated from yellowtail fingerlings showing ascites. Fish Pathology, 19: 231-238.
- 70) NAKAZOE, J. AND ISHII, S. et al.
1984. Effects of supplemental carotenoid pigments on the carotenoids accumulation in young red sea bream (*Chrysophrys major*). Bull. Tokai Reg. Fish. Res. Lab. 113: 29-41.
- 71) ISHIOKA, H.
1984. Effects of epinephrine, glucagon, cortisol and insulin on hepatic

glucose release and free fatty acid release in isolated tissues of the red sea bream, *pagrus major* (temminck et schlegel). Reprinted from bulletin of the nansei regional fisheries research laboratory, 16: 73-84.

- 72) ISHIOKA, H.
1984. Physiological and biochemical studies on the stress responses of the red sea bream, *pagrus major* (Temminck et schlegel). Bull. Nansei Reg. Fish. Res. Lab. 17: 1-133.
- 73) ISHIOKA, H.
1984. Effects of handling and anaesthetization with ms222 on the blood constituents of the red sea bream, *pagrus major* (Temminck et schlegel). Ibid. 16: 53-62.
- 74) ISHIOKA, H.
1984. Stress responses to transportation in the red sea bream, *pagrus major* (Temminck et schlegel). Ibid. 16: 63-71.
- 75) FUKUHARA, O. AND FUKUNAGA, T.
1984. Predation by sagitta on larval fish in earthen pond. Ibid. 17: 151-153.
- 76) FUKUHARA, O.
1984. The occurrence of deformed larva of anchovy (*Engraulis japonica*) reared in the tank. Ibid. 17: 155-157.
- 77) MURAI, T. AND AKIYAMA, T. et al.
1982. Nutritional studies for the development of formulated diet salmon fry. 87-90.
- 78) IIKURA, T.
1985. Environmental factors on rhytal animals in sargassum beds. 17: 50-56.
- 79) YOSHINAKA, R. AND SATO, M. et al.
1984. Enzymatic characterization of anionic trypsin of the catfish (*Parasilurus asotus*). Comp. Biochem. Phvsiol. 77: 1-6.
- 80) YOSHINAKA, R. AND SATO, M. et al.
1985. Purification and some properties of two anionic tryptins from the eel (*Anguilla japonica*). Ibid. 80: 5-9.
- 81) YOSHINAKA, R. AND SATO, M. et al.
1985. Characterization of an anionic trypsin from the eel (*Anguilla japonica*). Ibid. 80: 11-14.
- 82) YASUNAGA, Y. AND HAGINO, S. et al.
1985. Effects of wave induced circulation the dispersion of planktonic larvae. Relation between planktonic larval and wave induced circulation. 31-47.
- 83) IUKIDATE, T.
Culture of sea weed.

53-58.

- 84) HOKKAIDO SALMON HATCHERY.
Fish and egg.
- 85) HOKKAIDO FISH HATCHERY.
Fish and water.
- 86) HOKKAIDO SALMON HATCHERY.
1983. Progress in salmon hatchery.
- 87) HOKKAIDO FISH HATCHERY.
1983. Progress in salmon hatchery.
- 88) HOKKAIDO PREFECTURE.
1981. A report of investigation in coastal fisheries ground.
- 89) HAKODATE FISHERIES EXPERIMENTAL STATION.
1985. Studies on protection from disease inkelp larvae.
- 90) ABE, E. AND KAKIUCHI, M. et al.
1984. On the estimating method of the blade area in laminaria
miyabe, oshoro bay, hokkaido. 26, 25-37.
- 91) KIKUCHI, K. AND NOZAWA, Y. et al.
1984. Environmental changes of lake saroma recorded in sediment cores.
26, 11-24.
- 92) 田嶋健一郎 杉本卓
1985. 海中籠餌育によるエゾバフンウニの生殖巣の成長
北水試月報, 95-103.
- 93) 水島敏博
1985. ホッカイエビの幼生密度とアユモの密度との関係。
北水誌月報, 14-25.
- 94) HOKKAIDO KUSHIRO
1985. Studies on methods for enhancement of the surf clam stock.
- 95) TAKAMARU,
1984. Some aspects of the aquaculture studies of the surf claw.
43-47.
- 96) FUKUSHO, K.
1983. Present status and problems in culture of the rotifer brachionus
plicatilis for fry production of marine fishes in japan. Symposium
internacional de acuacultura coquimbo chile-septiembre. 361-374.
- 97) ISHIBASHI, K.
1984. A statistical assessment on the effect of liberation of larvae
in the sea-farming-I. Bull. Tokai reg. Fish. Lab. 141-155.
- 98) UKI, N. AND KIKUCHI, S.

1984. Regulation of maturation and spawning of an abalone, *Haliotis* (gastropoda) by external environmental factors. *Aquaculture*. 247-261.
- 99) YAMAGUCHI, M. AND OKUBO, H.
1984. Production of ayu-fish, *Plecoglossus altivelis*, seedlings from spring spawned eggs-I. Control of sexual maturity and spawning by photoperiodicity. *Bull. Tokai. Reg. Fish. Res. Lab.* 133-140.
- 100) KISO, K.
1985. On the feeding habit and mode of distribution of immature red sea bream (*Pagrus major*) in Shijiki Bay, Hirado Island, Japan. *Bull. Seikai. Reg. Lab.* 1-17.
- 101) SAKAI, K. AND NAGASHIMA, H. et al.
1985. Growth and movement of artificially reared young rockfish, *Sedastes schlegelii*, after release in Matsushima Bay. *Bull. Tohoku Res. Lab.* 21-32.
- 102) HOKKAIDO, SALMON, HATCHERY.
1985. Scientific reports of the Hokkaido salmon hatchery. 39.
- 103) MAYAMA, H. et al.
1985. Scientific reports of the Hokkaido salmon hatchery.
- 104) HOKKAIDO, FISH HATCHERY.
1984. Scientific reports of the Hokkaido fish hatchery. 39.
- 105) NAGATA, MITSUHIRO. et al.
1984. Scientific reports of the Hokkaido fish hatchery. 39.
- 106) TANAKA, K. et al.
1983. Seikai regional fisheries research laboratory. 60.
- 107) MIO, S. et al.
1984. Seikai regional fisheries research laboratory. 61.
- 108) KISO, K. et al.
1985. Seikai regional fisheries research laboratory. 62.
- 109) TOKYO, JAPAN.
1984. Physiological and biochemical diversity of photosynthetic carbon fixation in higher plant. *Bull. of Green Energy Program Group II*. 57-71.
- 110) HARA, M. AND AKIYAMA, K.
1985. Heterosis in growth of *Undaria pinnatifida* (Harvey) Suringar. *Bull. Tohoku Reg. Fish. Res. Lab.* 47-50.
- 111) TUKIDATE, J.
1984. On the most suitable growth conditions of young thalli of *Sargassum patens* C. Agardh and *Sargassum tortile* C. Agardh. *Bull. Nansei Reg. Fish. Res. Lab.* 1-9.
- 112) TUKIDATE, J.

1984. Studies on the regenerative ability of the brown algae, *sargassum muticum* (yendo) fensholt and *sargassum tortile* c. agardh. *Hydrobiologia*, 393-397.
- 113) UNO, S. AND SAKAI, Y. et al.
1983. Distribution of *uva pertusa* and amount of nitrogen in Yamaguchi bay. *Jap. J. Phycol.* 31: 148-155.
- 114) OGAWA, Y. AND YOSHIKAWA, K. et al.
1984. Developmental study of fly ash blocks for seaweeds (preliminary report). 36, 111, 1-9.
- 115) 吉川浩二 小川良徳
1985. フライアッシュブロックによる藻礁の開発試験。
I クロメの着生と生長について 水産土木, 25-34.
- 116) YOSHIKAWA, K.
1985. Studies on the formation of *sargassum* beds. I
The formation of artificial *sargassum* beds by atransplant of matured *sargassum patens* c. agardh. *Bull. Nansei Reg. Fish. Res. Lab.* 15-23.
- 117) HAGINO, S. et al.
Bulletin of national research institute of fisheries engineering.
- 118) ISHI, K. AND FURUSAWA, M. et al.
1985. Reprinted from technical report of national research institute of fisheries engineering fishing boat and instrument. 71-109.
- 119) ISHII, K. AND FURUSAWA, M. et al.
The data communication system connected by GP-IB with multiple controllers function.
- 120) 古澤昌彦
1985. 魚群探知機のTVGについての検討。
水産工学研究所技報 漁船工学, 33-49.
- 121) FURUSAWA, M.
Consideration on tvg of echo-sounder.
- 122) 宮野鼻洋一 石井憲
1985. 小ケージを用いたサクラエビ、ハダカイワシのターゲットストレスの測定。
水産工学研究所技報 漁船工学, 111-122.
- 123) MIYANO HANA, Y. AND ISHII, K. et al.
1985. Target strength measurement on *sewrgia lucens* and *diaphus* sp.
Using small net-cages.
- 124) 石井憲 古澤昌彦
1985. 魚体のターゲット・ストレングスの測定のための魚体懸垂回転機構。
水産工学研究所技報 漁船工学, 51-70.

- 125) ISHII, K. AND FURUSAWA, M. et al.
1985. A design of fish suspension and tilting system for the fish target strength measurement.
- 126) 安永義暢 日向野純也
1985. 魚礁漁場における物理化学環境と魚類の蠕集機構に関する研究 - II
天然礁における魚類の蠕集生態に関する - 考察。 水産工学研究所技報
水産土木, 55-67.
- 127) YASUNAGA, Y. AND HIGANO, J. et al.
The research on the relation between gathering behaviour of fish and physical-chemical environmental factors in fish reef area-II a ecological study of gathering of fish in the natural fish reef.
- 128) 安永義暢 日向野純也
1985. 砂泥性着底気質の解明 - I,
チョウセンハマグリ稚貝の底質適性に関する - 考察 -
- 129) YASUNAGA, Y. AND HIGANO, J.
Research of sandy and muddy substance for depositing of benthic animals-I a consideration of the suitable bottom condition of the juvenile shell of meretrix lamarchii.
- 130) 安永義暢
1985. 砂浜浅海域における底生魚類の餌料環境に関する - 考察。
水産工学研究所技報 水産土木, 1-14.
- 131) YASUNAGA, Y.
1985. A consideration of food abundance for demersal fish in the shallow water of the beach.
- 132) 杜田哲 萩野静也
1985. 田老海岸の流動についての現地観測 - III。
水産工学研究所技報 水産土木, 69-79.
- 133) TADA, S. AND HAGINO, S.
Some current observations off taro coast-III
- 134) AKAMINE, T.
1985. Consideration of the basic programs to analyse the polymodal frequency distribution into normal distributions. Bull. Jap. Sea Reg. Fish. Res. Lad. 129-160.