

A List of Publication from Japanese Aquaculture Panel, UJNR, to U.S. Panel as an Information Exchange for 1986.

- 1) NAKANISHI, T.
1985. The immune response of the rock fish, Sebastiscus marmoratus Eye transplantation immunity and effects of temperature on scale allograft rejection. Bull. Natl. Res. Inst. Aquaculture, 8: 43-50.
- 2) NAKANISHI, T.
1986. Seasonal changes in the humoral immune response and the lymphoid tissues of the marine teleost, Sebastiscus marmoratus. Vet. Immunol. Immunopathol. 12: 213-221.
- 3) NAKANISHI, T.
1986. Ontogenetic development of the immune response in the marine teleost Sebastiscus marmoratus. Bull. Japan. Soc. Sci. Fish. 52(3): 373-477.
- 4) NAKANISHI, T.
1986. Effects of partial-body r-irradiation on allograft rejection in the golden crucian carp, Carassius auratus subsp. Bull. Natl. Res. Inst. Aquaculture, 9: 51-58.
- 5) NAKANISHI, T.
1986. A review; immunogenetic studies in lower vertebrates. Fish Genetics and Breeding Science, 11: 13-23.
- 6) WADA, K. AND A. KOMARU
1985. Karyotypes in five species of the Pteriidae (Bivalvia: Pteriomorpha). Venus, Japan. J. Malacol. 44: 183-192.
- 7) WADA, K. AND A. KOMARU
1985. The karyotype of the ark shell, Scapharca subcrenata (Lischke, 1869). Bull. Natl. Res. Inst. Aquaculture, 8: 1-4.
- 8) WADA, K.
1986. Color and weight of shells in the selected populations of the Japanese pearl oyster Pinctada fucata martensii. Bull. Natl. Res. Inst. Aquaculture, 9: 1-6.
- 9) KOMARU, A. AND K. WADA
1985. Karyotypes of four species in the Pectinidae (Bivalvia: Pteriomorpha). Venus, Japan. J. Malacol. 44: 249-259.
- 10) KOMARU, A. AND K. WADA
1986. Electrophoretic survey of genetic variation in scallop, Chlamys nobilis. Bull. Natl. Res. Inst. Aquaculture, 9: 7-13.
- 11) FUKUSHO, K., M. OKAUCHI, H. TANAKA, P. KRAISINGDECHA, S. I. WAHYUNI AND T. WATANABE
1985. Food value of the small S-strain of a rotifer Brachionus plicatilis cultured with Tetraselmis tetrahele for larvae of black sea bream Acanthopagrus shlegli. Bull. Natl. Res. Inst. Aquaculture, 8: 5-13.

- 12) FUKUSHO, K.
1986. Present status and problems in mass fry production. In: Sea Farming Technology of Red Sea Bream(eds. by M.Tanaka and Y.Matsumiya). Koseisha-Koseikaku, Tokyo, pp. 9-25.
- 13) OKAUCHI, M. AND K.FUKUSHO
1985. Different modes in carrying resting eggs between two wild types of the rotifer brachionus plicatilis from Matsusaka. Bull. Japan. Soc. Sci. Fish. 51(11): 1907.
- 14) OKAUCHI, M.
1985. Environmental conditions and media required mass culture of a minute alga, Tetraselmis tetrathele and its food value for rotifer culture. Fish Genetics and Breeding Science, 10: 1-17.
- 15) OKAUCHI, M.
1985. Mass culture method and food value of Tetraselmis tetrathele. Saibaigiken, 14(2): 85-110.
- 16) OKAUCHI, M. AND K.FUKUSHO
1985. Different modes in carrying resting eggs of wild s-strains of the rotifer Brachionus plicatilis. Bull. Natl. Res. Inst. Aquaculture, 8: 59-61.
- 17) OKAUCHI, M. AND Y.HIRANO
1986. Nutritional value of Tetraselmis tetrathele for larvae of Penaeus japonicus. Bull. Natl. Res. Inst. Aquaculture, 9: 29-33.
- 18) ONOZATO, H.
1985. Application of biotechnology to fisheries industries. Suisan Shinkou, 19: 1-56.
- 19) YAMAHA, E. AND H.ONOZATO
1985. Histological investigation on the gonads of artificially induced triploid crucian carp, Carassius auratus. Bull. Facul. of Fish. Hokkaido Univ. 36: 170-176.
- 20) MAEKAWA, K. AND H.ONOZATO
1986. Reproductive tactics and fertilization success of mature male miyabe charr, Salvelinus malma miyabei. Environ. Biol. of Fish. 15: 119-129.
- 21) SUZUKI, R., T.OSHIRO AND T.NAKANISHI
1985. Survival, growth and fertility of gynogenetic diploids induced in the cyprinid loach, Misgurnus anguillicaudatus. Aquaculture, 48: 45-55.
- 22) OGATA, H.
1985. Post-feeding changes in distribution of free amino acids and ammonia in plasma and erythrocytes of carp. Bull. Japan. Soc. Sci. Fish. 51(10): 1705-1711.

- 23) OGATA, H.
1986. Correlations of essential amino acid patterns between the dietary protein and the blood, hepatopancreas, or skeletal muscle in carp. Bull. Japan. Soc. Sci. Fish. 52(2): 307-312.
- 24) OGATA, H. AND T. KONNO
1986. Growth response and smolt production of 1 year cherry salmon fed with diets having different protein and lipid levels. Bull. Japan. Soc. Sci. Fish. 52(2): 313-318.
- 25) OGATA, H., T. MURAI AND Y. HIRASAWA
1986. Assessment of performance using free amino acid levels in plasma of carp. Bull. Japan. Soc. Sci. Fish. 52(6): 1071-1075.
- 26) AKIYAMA, T., T. MURAI AND T. NOSE
1986. Oral administration of serotonin against spinal deformity of chum salmon fry induced by tryptophan deficiency. Bull. Japan. Soc. Sci. Fish. 52(7): 1249-1254.
- 27) AKIYAMA, T., T. MURAI AND K. MORI
1986. Role of tryptophan metabolites in inhibition of spinal deformity of chum salmon fry caused by tryptophan deficiency. Bull. Japan. Soc. Sci. Fish. 52(7): 1255-1259.
- 28) FUNAKOSHI, S., K. WADA AND T. SUZUKI
1985. Development of the rete mirabile with growth and muscle temperature in the young bluefin tuna. Bull. Japan. Soc. Sci. Fish. 51(12): 1971-1975.
- 29) SHINMA, H.
1986. Growth and proximate composition of races, yamato and mirror carp, Cyprinus carpio. Bull. Natl. Res. Inst. Aquaculture, 9: 15-20.
- 30) INUI, Y. AND S. MIWA
1985. Thyroid hormone induces metamorphosis of flounder larvae. Gen. Comp. Endocrinol. 60: 450-454.
- 31) MIWA, S. AND Y. INUI
1986. Inhibitory effects of 17 α -methyltestosterone and estradiol-17 β on smoltification of sterilized amago salmon (Oncorhynchus rhodurus). Aquaculture, 53: 21-39.
- 32) EGUSA, S. AND M. SORIMACHI
1986. A histopathological study of yellowtail ascites virus (YAV) infection of fingerling yellowtail, Seriola quinqueradiata. Fish Pathol. 21: 113-121.
- 33) SORIMACHI, M. AND S. EGUSA
1986. Susceptibility of fingerling yellowtail to YAV virus. Fish Pathol. 21: 133-134.
- 34) OTOTAKE, M. AND T. MATSUSATO
1986. Notes on scuticociliata infection of cultured juvenile flounder Paralichthys olivaceus. Bull. Natl. Res. Inst. Aquaculture, 9: 65-68.

- 35) TANAKA, N., M. SUGIYAMA, M. MURATA AND A. KAWAI
1985. Metabolic rate of dissolved proteinous nitrogen in the sea and lake bottom mud. Bull. Jap. Sci. Fish. 51: 1693-1696.
- 36) TANAKA, N. AND A. ASAKAWA
1986. Epiphytic diatom flora on a brown alga, Sargassum horneri, from various localities. Bull. Natl. Res. Inst. Aquaculture, 9: 59-63.
- 37) TANAKA, N.
1986. Adhesive strength of epiphytic diatoms on various seaweeds. Bull. Jap. Soc. Sci. Fish. 52: 817-821.
- 38) HONJO, T. AND K. TABATA.
1985. Growth dynamics of Olisthodiscus luteus in outdoor tanks with flowing coastal water and in small vessels. limnol. Oceanogr. 30(3): 653-664.
- 39) YOKOTE, M. AND T. HONJO.
1985. Morphological and histochemical demonstration of a glycocalyx on the cell surface of Chattonella antiqua, a 'naked flagellate'. Experientia, 41(9): 1143-1145.
- 40) YOKOTE, M., T. HONJO AND M. ASAKAWA
1985. Histochemical demonstration of a glycocalyx on the cell surface of Heterosigma akashiwo. Marine Biology, 88: 285-299.
- 41) HONJO, T.
1985. Glycocalyx on the cell surface of raphidophyceae. Suisannokenkyu, 4(5): 14-15.
- 42) HONJO, T.
1986. Method for measuring growth potentiality in wild phytoplankton. In: Manual for Coastal Environmental Research, pp.168-172.
- 43) ITKURA, T., S. TODA AND S. KITAMURA
1986. Hydraulic characteristics of flow and dispersion in a sargassum forest. Progress Report for Seaweed Production, pp.85-95.
- 44) SUGIYAMA, M., H. NAKANO, Y. YANO, M. FUKUDA AND N. MURAKAMI
1985. Studies on the culturing technique for flatfish larvae-1 the effect of rate of water supply into rearing tank on the abundances of albinism and reversal larvae. Bull. Hokkaido Reg. Fish. Res. Lab. 50: 63-69.
- 45) MACHII, A., M. AWAJI AND K. WADA
1986. Establishment of cell lines from a mantle tissue of the black lip pearl oyster. Tissue Culture Research Communications, 5(1): 119-121.
- 46) AWAJI, M., K. WADA AND A. MACHII
1986. Polysaccharides on the cultured cells from a mantle tissue of the black lip pearl oyster. Tissue Culture Research Communications, 5(1): 122-128.

- 47) TANAKA, Y.
1986. Thermal tolerance and requirements for settlement of pediveliger larvae of the hard clam, Meretrix lusoria. Bull. Natl. Res. Inst. Aquaculture, 9: 45-49.
- 48) NUMAGUCHI, K. AND Y. TANAKA
1986. Effects of temperature on mortality and growth of the spat of the pearl oyster, Pinctada fucata martensii. Bull. Natl. Res. Inst. Aquaculture, 9: 35-39.
- 49) NUMAGUCHI, K. AND Y. TANAKA
1986. Effects of salinity on mortality and growth of the spat of the pearl oyster, Pinctada fucata martensii. Bull. Natl. Res. Inst. Aquaculture, 9: 41-44.
- 50) SATO, R., Y. FUKUDA AND U. AKUTSU
1985. Yearling smolt from precocious male masu salmon, Oncorhynchus mason. Bull. Natl. Res. Inst. Aquaculture, 8: 15-22.
- 51) SATO, R., T. SHIBUYA AND U. AKUTSU
1986. Smoltification of underyearling masu salmon (Oncorhynchus masou) at different temperatures. Bull. Natl. Res. Inst. Aquaculture, 9: 21-27.
- 52) TOI, J. AND T. ITO
1985. Evaluation of nitrogen incorporation rates from periphytic algae to aquatic insects by using stable isotope technique. Bull. Tokai Reg. Fish. Res. Lab. 117: 21-29.
- 53) KOJIMA, H. AND K. ISHIBASHI
1985. The estimation of population parameters on the stock of Japanese black abalone, Haliotis discus discus in Tokushima prefecture. Bull. Tokai Reg. Fish. Res. Lab. 118: 11-20.
- 54) UMEBAYASHI, O. AND K. SASAKI
1985. Distributional pattern of phosphorus nitrogen and carbon in a leaf blade of eelgrass, Zostera marina L. Bull. Tokai Reg. Fish. Lab. 118: 21-32.
- 55) ISHIBASHI, K.
1986. A statistical assessment on the effect of liberation of red sea bream Pagrus major larvae in sea-farming. Bull. Tokai Reg. Fish. Res. Lab. 119: 93-107.
- 56) FUKUHARA, O. AND T. FUSHIMI
1986. Development and early life history of the ayu reared in the laboratory. Bull. Japan. Soc. Sci. Fish. 52(1): 75-80.
- 57) FUKUHARA, O.
1986. Morphological and functional development of Japanese flounder in early life stage. Bull. Japan. Soc. Sci. Fish. 52(1): 81-91.

- 58) FUKUHARA, O.
1986. Qualitative evaluation of artificially reared fry. In: Sea Farming Technology of Red Sea Bream (ed. by M. Tanaka and Y. Matsumiya). Koseisha-Koseikaku, Tokyo, pp. 26-36.
- 59) ISHIOKA, H., R. HATAKEYAMA, S. SAKAGUCHI AND S. YAJIMA
1986. The effect of sound stimulus on the behavioral disturbance of red sea bream, Pagrus major. Bull. Nisei. Reg. Fish. Res. Lab. 20: 59-71.
- 60) HARA, M. AND K. AKIYAMA
1985. Heterosis in growth of Undaria pinnatifida (Harvey) Suringar. Bull. Tohoku. Reg. Fish. Res. Lab. 47: 47-50.
- 61) TANIGUCHI, K., M. HARA, Y. SATA, Y. OSADA AND H. SUENAGA
1985. List of marine algae from the Ogatsu coast of Miyagi prefecture. Bull. Tohoku. Reg. Fish. Res. Lab. 47: 11-20.
- 62) FUJIO, Y., P. L. G. KODAKA AND M. HARA
1985. Genetic differentiation and amount of genetic variability in natural populations of the haploid laver Porphyra yezoensis. Japan. J. Genet. 60: 347-354.
- 63) TANIGUCHI, K., M. SATO AND J. OWADA
1986. On the characteristics of the structural variation in the Eisenia bicyclis population on the Joban coast, Japan. Bull. Tohoku. Reg. Fish. Res. Lab. 48: 49-57.
- 64) FUJIO, G., M. YUZAWA, S. KIKUCHI AND A. KOGANEZAWA
1986. Genetic study on the population structure of abalone. Bull. Tohoku. Reg. Fish. Res. Lab. 48: 59-65.
- 65) HARA, M.
1986. Change in fatness coefficient and catch of pacific saury Cololabis saira during South-ward migration. Bull. Tohoku. Reg. Fish. Res. Lab. 48: 1-12.
- 66) ASANO, M. AND I. HANYU
1986. Biological significance of electroreception for a Japanese catfish. Bull. Japan. Soc. Sci. Fish. 52(5): 795-800.
- 67) IKEHARA, K. AND O. SANNO
1986. Distribution and species composition of floating seaweeds collected in the Sado Straits of the Japan Sea. Bull. Japan Sea Reg. Fish. Res. Lab. 36: 59-75.
- 68) MIYAJI, K. AND N. INOUE
1986. Characteristics of frow of the Kuroshio in Northwest Waters off Amami Oshima in the East China Sea. Bull. Seikai Reg. Fish. Res. Lab. 63: 1-14.
- 69) IIZUKA, K. AND S. HAMASAKI
1986. Ecology of common mackerel in Southwestern Sea of Japan and the East China Sea-II. Biological characteristics in each fishing ground. Bull. Seikai Reg. Fish. Res. Lab. 63: 15-48.

- 70) HAMADA, R.
1986. Age and growth of the lizard fish, Saurida wanieso Shindo et Yamada, in the East China Sea. Bull. Seikai Reg. Fish. Res. Lab. 63: 49-60.
- 71) MORIOKA, Y. AND K. KIMOTO
1986. Opossum shrimp school from a dip of SCUBA Sweeping in small inlet. Bull. Seikai Reg. Fish. Res. Lab. 63: 61-72.
- 72) INOUE, K., H. KITO, N. UKI AND S. KIKUCHI
1986. Influence of the high temperature on the growth and survival of three species of abalone. Bull. Seikai Reg. Fish. Res. Lab. 63: 61-72.
- 73) NOMA, T.
1986. Fundamental study on interfacial wave. Bull. Natl. Res. Inst. Fish. Engineering. 7: 1-12.
- 74) UEKITA, Y. AND S. AKEDA
1986. An experimental study of hydrodynamic forces acting on an artificial reef. Bull. Natl. Res. Inst. Fish. Engineering. 7: 13-22.
- 75) MIYANO HANA, Y., K. ISHII AND M. FURUSAWA
1986. Effect of beam pattern and fish behaviour on averaged target strength. Bull. Natl. Res. Inst. Fish. Engineering. 7: 87-96.
- 76) KAWAMATA, S. AND S. HAGINO
1986. Numerical classification of benthic communities of rocky fishing ground at aonotaki, Iwate Prefecture. Natl. Res. Inst. Fish. Engineering, Aquaculture Fishing Port Engineering, 7: 1-13.
- 77) HAGINO, S. AND S. KAWAMATA
1986. Numerical simulation on water current in rocky fishing grounds. -Wave-induced Current off Taro Coast-. Natl. Res. Inst. Fish. Engineering, Aquaculture Fishing Port Engineering, 7: 15-31.
- 78) HIGANO, J. AND Y. YASUNAGA
1986. Tolerance to low salinity of the larva of flounder Paralichthys olivaceus, considered from the change of oxygen consumption. National. Natl. Res. Inst. Fish. Engineering, Aquaculture Fishing Port Engineering, 7: 33-39.
- 79) HIGANO, J. AND Y. YASUNAGA
1986. Research of sandy substance for depositting of benthic animals A basic consideration on the burrowing behaviour of a few species of sandy bivalves. Natl. Res. Inst. Fish. Engineering, Aquaculture Fishing Port Engineering, 7: 41-52.
- 80) YASUNAGA, Y., T. TAKEUCHI, J. HIGANO AND T. NOMA
1986. A study on the relations between gathering behaviour of fish and physico-chemical environment factors in the fish reef area-III. Measurement of flow and observation of fish around the artificial fish reef. Natl. Res. Inst. Fish. Engineering, Aquaculture Fishing Port Engineering, 7: 53-87.

- 81) UKI,N., A.KEMUYAMA AND T.WATANABE
1985. Development of semipurified test diets for abalone.
Bull. Japan. Soc. Sci. Fish. 51(11): 1825-1833.
- 82) UKI,N., A.KEMUYAMA AND T.WATANABE
1985. Nutritional evaluation of several protein sources in diets
for abalone Haliotis discus hannai. Bull. Japan. Soc. Sci. Fish.
51(11): 1835-1839.
- 83) UKI,N., M.SUGIURA AND T.WATANABE
1986. Dietary value of seaweeds occurring on the pacific coast of
Tohoku for growth of the abalone Haliotis discus hannai.
Bull. Japan. Soc. Sci. Fish. 52(2): 257-266.
- 84) UKI,N., A.KEMUYAMA AND T.WATANABE
1986. Optimum protein level in diets for abalone. Bull. Japan. Soc.
Sci. Fish. 52(6): 1005-1012.
- 85) UKI,N., M.SUGIURA AND T.WATANABE
1986. Requirement of essential fatty acids in the abalone Haliotis
discus hannai. Bull. Japan. Soc. Sci. Fish. 52(6): 1013-1023.
- 86) UKI,N. AND T.WATANABE
1986. Effect of heat-treatment of dietary protein sources on their
protein quality for abalone. Bull. Japan. Soc. Sci. Fish. 52(7):
1199-1204.