

A List of Publication from Japanese Aquaculture Panel, UJNR, to U.S. Panel as an Information Exchange for 1987

- 1)WADA,K.T
1986. Genetic selection for shell traits in the Japanese Pearl Oyster, Pinctada fucata martensii. Aquaculture 57:171-176.
- 2)WADA,K.T
1986. Genetic Variability at Four Polymorphic Loci in Japanese Pearl Oysters, Pinctada fucata marteensii Selected for Six Generations. Aquaculture 59:139-146.
- 3)NAKANISHI,T
1986. Antibody producing cells in the marine teleost,Sebastiscus marmoratus. Organ distribution and morphology. Pathology in Marine Aquaculture (Eds.by C.P. Vivares, J.R. Bonai and E. Jaspers) pp.333-342, European Aquaculture Society,Special Publication No.9.
- 4)NAKANISHI,T
1986. Effects of X-irradiation and thymectomy on the immune response of the marine teleost, Sebastiscus marmoratus Develop. Comp. Immunol. 10:519-527.
- 5)NAKANISHI,T
1986. The immune response of the rock fish, Sebastiscus marmoratus-IV. Effects of splenectomy on the antibody production and the scale allograft rejection. Bull. Natl. Res. Inst. Aquaculture 11:1-6.
- 6)NAKANISHI,T
1987. Kinetics of transfer of immunity by immune leukocytes and PFC response to HRBC in isogeneic ginbuna crucian carp. J. Fish Biol. 30:723-729.
- 7)FUKUSHO,K
1985. Status of marine larval culture in Japan. Proceedings for a Workshop on Reproduction and Culture of Milkfish. pp.127-139.
- 8)SUGA,S., Y.TAKI AND K.WADA
1986. Biological significance of fluoride in fish teeth. In: Fluoride Research 1985, Studies in Environmental Science(eds. by H.Tsunoda and M.H. Yu), pp.285-297. Elsevier, Amsterdam, The Netherlands.
- 9)FUKUSHO.K., YAMAMOTO,T AND SEIKAI,T
1986. Influence of various amount of aeration during larval development of hatchery-reared flounder Paralichthys olivaceus on the appearance of abnormal coloration (Short paper). Bull. Natl. Res. Inst. Aquaculture 10:53-56.
- 10)FUKUSHO.K.,T.FUJIMURA,AND T.YAMAMOTO
1986. Broodstock and Advanced Spawning of the Red Seabream in an Indoor Tank With Manipulation of Water Temperature The Aquiculture 34(2):69-75.

- 11) OSHIRO, T
 1986. Cytological Studies on Diploid Gynogenesis Induced in the Loach Misgurnus anguillicaudatus. Nippon Suisan Gakkaishi 53(6):933-939.
- 12) OGATA, H.
 1986. Comparison of free amino acid levels in plasma and erythrocyte of carp. Bull. Natl. Res. Inst. Aquaculture 10:21-32.
- 13) OGATA, H AND MURAI, T
 1987. Effects of ammonium chloride administration on ammonia and free amino acid levels in erythrocytes and plasma of carp. Bull. Japan Soc. Sci. Fish. 53:(7)1257-1260
- 14) OGATA, H AND MURAI, T
 1987. Nutritional Aspects of Masu Salmon Smolt. Marine Ranching Program Progress reports on Masu Salmon Production. 6:37-45.
- 15) MURAI, T., OGATA, H., KOSUTARAK, P AND ARAI, S
 1986. Effects of amino acid supplementation and methanol treatment on utilization of soy flour by fingerling carp. Aquaculture 56:197-206.
- 16) AKIYAMA, T., K. MORI AND T. MURAI
 1986. Effects of temperature on the incidence of scoliosis and cataract in chum salmon fry caused by tryptophan deficiency (Short paper). Bull. Japan Soc. Sci. Fish. 52(11):2039
- 17) SUZUKI, T.
 1986. Ultrastructural and biochemical study on the excretory system of freshwater bivalve, Anodonta (S) calipygos. Bull. Natl. Res. Inst. Aquaculture 10:33-52.
- 18) SUZUKI, T., H. OGATA., S. FUNAKOSHI., S. ARAI AND K. WADA
 1986. Free amino acid composition in the hemolymph of marine and freshwater bivalves. Bull. Natl. Res. Inst. Aquaculture 11:27-34.
- 19) MORI, K
 1987. Managed Coastal Waters for Oyster Culture in Japan. Managed Aquatic Ecosystems, (ed. by R.G. Michael) pp.125-143.
- 20) MORI, K
 1987. Oyster self-resistance mechanisms to diseases. In: SHELLFISH CULTURE DEVELOPMENT AND MANAGEMENT. International Seminar in La Rochelle (France), March 4-9, pp.126-159.
- 21) OOHARA, H AND A. WADA
 1987. Spectroscopic Studies on Histone-DNA Interactions I. The Interaction of Histone (H2A, H2B) Dimer with DNA: DNA Sequence Dependence. J. Mol. Biol. 196:389-397.
- 22) OOHARA, H AND A. WADA
 1987. Spectroscopic Studies on Histone-DNA Interactions II. Three Transitions in Nucleosomes Resolved by Salt-titration. J. Mol. Biol. 196:399-411.

- 23)SHIMMA,Y.,H.SHIMMA, AND K.IKEDA
1986. Plasma Constituents of Rainbow Trout Yearlings with Reference to the Influence of n-Butyl Alcohol added to Commercial Feeds.Bulletin of the Japanese Society of Scientific Fisheries 52(12):2149-2154.
- 24)SHIMMA,H. AND H.MAEDA
1986. Growth and body composition of F₁ hybrid between Yamato(♀) and Mirror(♂) carps, Cyprinus carpio. Bull. Natl. Res. Inst. Aquaculture, 10:1-10.
- 25)HIROSE,K.
1986. In Vitro Estradiol-17B and testosterone modulation of gonadotropin and 17, 20- dihydroxy-4-pregnen-3-one-induced oocyte final maturation in ayu Plecoglossus altivelis. Bull. Natl. Res. Inst. Aquaculture 10:11-20.
- 26)TANAKA,H.
1986. Gonadal sex differentiation in flounder, Paralichthys olivaceus. Bull. Natl. Res. Inst. Aquaculture 11:7-20
- 27)MATSUSATO,T.
1986. Studies on the skeletal anomaly of fishes. Bull. Natl. Res. Inst. Aquaculture 10:57-179.
- 28)MOMOYAMA,K AND T.MATSUZATO
1987. Muscle Necrosis of Cultured Kuruma Shrimp (Penaeus japonicus). Fish Pathology 22(2):69-75.
- 29)SORIMATI,M AND S.EGUSA
1986. Experimental infection of Yellowtail Ascites Virus (Y A V) to yellowtail fingerlings. Fish Pathology 21(2):133-134.
- 30)MIWA,M AND Y.INUI
1986. Histological changes in the pituitary-thyroid axis during spontaneous and artificially-induced metamorphosis of flounder larvae. Cell and Tissue Research (in press)
- 31)OTOTAKE,M AND MATUSATO,T
1986. Epitheliocystis found in juvenile red sea bream imported from Hong Kong. Bull. Natl. Res. Inst. Aquaculture 11:51-60.
- 32)TANAKA.N
1986. Mechanism of attachment of diatom and facteua and their succssion. Suisangaku series 18-27.
- 33)TANAKA,N., T.IIKURA, S.TODA AND S.KITAMURA
1986. Epiphytic diatoms on the leaf of eelgrass (Zostera japonica) and artificial substrate in brackish celgrass (Zostera japonica) and artificial substratein brackish eclgrass belt. Bull. Natl. Res. Inst. Aquaculture 11:41-50.
- 34)AWAJI,M AND I.HANYU
1987. Annual Reproductive Cycle of the Wild Type Medaka. Nippon Suisan Gakkaishi. 53(6),959-965.

- 35)FUJII,K.,K.HIROSE,A.HARA AND T.MARUYAMA.
1986. Sexual characteristics of hybrid sturgeon between female Huso huso and male Acipenser rutherus,so-called Bester. Bull. Natl. Res. Inst. Aquaculture 11:21-26.
- 36)NUMAGUCHI,K.AND Y.TANAKA
1986. Effects of temperature and salinity on the growth young hard clam Meretrix lusoria. Bull. Natl. Res. Inst. Aquaculture 11:35-40.
- 37)FUJIO.Y., M.Y.TANAKA, M.HARA AND K.AKIYAMA
1987. Enzyme Polymorphism and Population Structure of the Haploid Laver Porphyra yezoensis. Nippon Suisan Gakkaishi. 53(3):357-362.
- 38)OKOSHI.K., K.MORI, T.NOMURA
1987. Distribution of chambered oyster in oyster culture areas in Japan. The Aquiculture. 33(4):182-188.
- 39)KATOH.O., K.HAYASHI AND S.IHAMASAKI
1987. Sudden Rise and Fall of Surface Water Temperature in Spring in the Southwest Coastal Region of the Japan Sea. Bull. Seikai. Reg. Fish. Res. Lab. 64:1-12.
- 40)TANAKA.K., S.UNO, W.SAKAMOTO AND A.SHIROTA
1987. Turbid Water Area in the East China Sea. Bull. Seikai. Reg. Fish. Res. Lab. 64:13-24.
- 41)HAMADA.S AND T.MITSUSIO
1987. Submarine Geological Classification of Bottom Sediments in the East China Sea and the Yellow Sea. Bull. Seikai. Reg. Fish. Res. Lab. 64:25-34.
- 42)KIMOTO.K., J.NAKASHIMA AND Y.MORIOKA
1987. Standing Stock of Chlorophyll and Primary Productivity in a Small Inlet of Kyushu. Bull. Seikai. Reg. Fish. Res. Lab. 64:35-46.
- 43)KOGA.F
1987. The Occurrence Properties, Biomass and Production of Zooplankton in Osaka Bay, Eastern Seto Inland Sea. Bull. Seikai. Reg. Fish. Res. Lab. 64:47-66.
- 44)MORIOKA.Y., J.NAKASHIMA AND K.KIMOTO
1987. Food Requirement of the Flounder Larvae and Possible Distribution Pattern of the Prey Organisms in the Waters Adjacent to Hirado Island, kyushu. Bull. Seikai. Reg. Fish. Res. Lab. 64:67-76.
- 45)NAKASHIMA.J AND K.KIMOTO
1987. Comparison of the Two Counting Methods for Microzooplankton. Bull. Seikai. Reg. Fish. Res. Lab. 64:77-82.
- 46)KOZASA.E AND K.KIMOTO
1987. Water-Flow Pattern in Plankton Nets with Different Open Area Ratios. Bull. Seikai. Reg. Fish. Res. Lab. 64:83-89.

- 47)YASUNAGA.Y., T.TAKEUCHI, J.HIGANO, T.NOMA
1987. A Study on Gathering Behaviour of Fish and Physico- Chemical Environment Factors in the Fish Reef Area- IV. Natl. Res. Inst. of Fisheries. Engineering. 8:13-41.
- 48)YASUNAGA.Y., Y.UEKITA, J.HIGANO AND S.AKETA
1987. Research of Sandy and Muddy Substance for Depositing of Benthic Animals-III- An Instance of Research about Bottom Material and Benthos at Off Sea of Surf Zone. Natl. Res. Inst. of Fisheries. Engineering. 8:43-62.
- 49)HAGINO.S
1987. Residual effect of floating matter in the artificial pocket-beach Natl. Res. Inst. of Fish. Engineering. 8:1-11.
- 50)HIGANO.J., Y.YASUNAGA
1987. Research of Sandy and Muddy Substance for Depositing of Benthic Animals IV -A Consideration about the Relation between Mud Rate of Substratum and Burrowing Behaviour of Juvenile Bivalves. Natl. Res. Inst. of Fish. Engineering. 8:63-69.
- 51)HASIMOTO.Y., M.YAMAGUCHI, T.ITO AND J.TOI
1987. Effects of Kaolin on Hatching, Growth and Feeding Behavior of Rainbow Trout, Salmo gairdneri. Bull. Tokai. Reg. Fish. Res. Lab. 120:39-42.
- 52)NAKAZOE.J., S.KIMURA, M.YOKOYAMA, AND H.IIDA
1987. Effects of Supplementation of Algae or Lipids to the Diets on the Growth and Body Composition of Nibbler Gray. Bull. Tokai. Reg. Fish. Res. Lab. 121:43-51.
- 53)SHIMIZU.H
1987. Bone Abnormality of Hatchery - reared Black Porgy, Acanthopagrus schlegeli (Bleeker). Bull. Tokai. Reg. Fish. Res. Lab. 122:1-11.
- 54)SIMIZU.H AND S.FUJITA
1985. Bone abnormality of hatchery-reared Oplegnathus fasciatus. The Aquiculture. 33(3):149-156.
- 55)ASANO.M AND I.HANYU
1987. Electroreception in a Japanese Eel. Bull. Tohoku. Reg. Fish. Res. Lab. 49:83-88.
- 56)ASANO.M AND I.HANYU
1987. Certification of the Small Pit Organ to be the Electroreceptor in a Japanese Catfish. Bull. Tohoku. Reg. Fish. Res. Lab. 49:73-82.
- 57)ASANO.M AND I.HANYU
1987. Sensitivity to Electricity in the Catfish, Parasilurus Asotus Comp. Biochem. Physiol. 86:485-489.
- 58)TANIGUCHI.K., Y.SATO, Y.OSADA AND HIROAKI SUENAGA
1987. On the Structure of the Eisenia bicyclis Population on the Coast of Oshika Peninsula in Northeastern Honshu, Japan. Bull. Tohoku. Reg. Fish. Res. Lab. 49:103-109.

- 59)IKEHARA.K
1986. Estimation of the Floating Seaweeds Biomass by the Aerial Navigation. Research Report Biomass Conversion Program No2:141-155.
- 60)FUKUHARA.O., T.NAKAGAWA AND T.FUKUNAGA
1986. Larval and Juvenile Development of Yellowtail Reared in Laboratory. Bull. Japan. Soc. Sci. Fish. 52(12):2091-2098.
- 61)FUKUHARA.O
1986. Larval Development and Behavior in Early Life Stages of Black Sea Bream Reared in the Laboratory. Nippon Suisan Gakkaishi. 53(3)371-379.
- 62)YAMADA.O AND H.TAKANO
1987. Acceleration of the Growth of Benthic Diatoms by Using Gelled Agar. Bull. Tokai. Reg. Fish. Res. Lab. 121:29-34.
- 63)ISHIOKA.H., Y.HATAKEYAMA AND S.SAKAGUCHI
1987. Development of the Startle Response to Sound Stimuli in the Red Sea Bream, Pagrus major Temminck et Schlegl. Bull. Nansei Reg. Fish. Res. Lab. 21:17-23.
- 64)YOSHIKAWA.K
1987. Studies on the Formation of Sargassum Beds-III.
The Formation of Sargassum Beds by Setting Campus Sheets for Embryo to Settle Down Effectively. Bull. Nansei Reg. Fish. Res. Lab. 21:25-35.
- 65)TSUKIDATE.J
1987. On the Optimum Growth Conditions of ecklonia kurome Okamura. Bull. Nansei Reg. Fish. Res. Lab. 21:1-9.
- 66)MATSUNAGA.H AND T.OSIRO
1987. Allotriploids between Goldfish (♀) and Carp (♂) Induced by Cold-shock Treatment (Preliminary Note) Bull. Nansei Reg. Fish. Res. Lab. 21:11-15.
- 67)USUKI.H., R.OKAMOTO., H.MATSUNAGA AND K.FUNAE
1987. Allotriploidization of Filefishes by Cold Treatment (Preliminary Note) Bull. Nansei Reg. Fish. Res. Lab. 21:37-41.