

Publications for the UJNR Aquaculture Panel (Japanese Side) in 1992

(A) National Research Institute of Aquaculture

- 1 Okazaki, T., M. Watanabe, K. Mizuguchi and K. Hosoya
1991
Genetic differentiation between two types of dark chub, *Zacco temmincki*, in Japan.
Japan. J. Ichthyol., 38, 133-140.
- 2 Komaru, A. and K. T. Wada
1990
Different processes of pronuclear events in pressure-treated and CB-treated zygotes at the second meiosis in scallop.
Nippon Suisan Gakkaishi, 57, 1219-1223.
- 3 Wada, K. and A. Komaru
1991
Estimation of genetic variation in shell traits of the Japanese pearl oyster.
Bull. Natl. Res. Inst. Aquaculture, No.20, 19-24.
- 4 Wada, K. T. and A. Komaru
1992
Gametogenesis of triploid bivalves with respect to aquaculture.
NOAA Tech. Rep. NMFS, US Dept. Commerce, 106, 19-20.
- 5 Kawamura, K. and K. Hosoya
1991
A modified double staining technique for making a transparent fish-skeletal specimen.
Bull. Natl. Res. Inst. Aquaculture, No. 20, 11-18. (in Japanese)
- 6 Maeda, M. and K. Nogami
1992
Biocontrol in aquaculture
Ecol. Microorganisms, No. 18, 133-148. (in Japanese)

- 7 Maeda, M. and A. Hino
1991
Environmental management for mass culture of the rotifer, *Brachionus plicatilis*.
W. Fulks and K. L. Main (Eds.) In: Rotifer and Microalgae culture Systems, Oceanic Institute,
Hawaii, p. 125-133.
- 8 Nogami, K. and M. Maeda
1991
Ecological activities of microorganisms in the larvae rearing environment
U. Simidu (Ed.) In: Marine Microorganisms and Marine Biotechnology, Gihodo Shuppan, p.
169-183. (in Japanese)
- 9 Maeda, M.
1991
Ecological significance and its utilities of marine protozoa.
Iken, 44(8), 43-46. (in Japanese)
- 10 Maeda, M., K. Nogami and N. Ishibashi
1992
Utility of microbial food assemblages for culturing a crab, *Portunus trituberculatus*.
Bull. Natl. Res. Inst. Aquaculture, 21, 31-38.
- 11 Maeda, M. and I. C. Liao
1992
Effect of bacterial population on the growth of a prawn larva, *Penaeus monodon*.
Bull. Natl. Res. Inst. Aquaculture, 21, 25-29.
- 12 Nogami, K. and M. Maeda
1992
Fry production of *Portunus* crab with biocontrol.
Yoshoku, 29(4), 146-148. (in Japanese)
- 13 Maeda, M.
1992
Functional microorganisms used to improve the aquaculture environment.
Yoshoku, 29(8), 138-139. (in Japanese)

- 14 Shiraishi, M.
1992
Maturation and spawning of Japanese sardine, *Sardinops melanostictus*, in Satsunan Area, Kyushu, Japan.
Kaiyo monthly, 24(5), 284-288.
- 15 Abo, K., S. Toda and S. Yamamoto
1992
Effects of winds on currents in Hazamaura, Gokasho Bay.
Bull. Natl. Res. Inst. Aquaculture, 21, 15-24. (in Japanese)
- 16 Toda, S.
1992
The effect of boundary layer flows on the settlement of invertebrate larvae.
Kaiyo monthly, 24(8), 464-469.
- 17 Toda, S.
1990
Prediction of the distribution of settled *Sargassum propagules*.
La Mer, 28, 240-247
- 18 Toda, S.
1991
Habitat enhancement in rocky coast by use of circulation flow.
Nakamura, M., R. S. Grove and C. J. Sonu (Eds.) In: Recent advances in aquatic habitat technology. Japan-US Symposium on Artificial Habitats for Fisheries Proceedings, Tokyo, p. 239-247.
- 19 Yano, I and J. A. Wyban
1992
Induced ovarian maturation of *Penaeus vannamei* by injection of lobster brain extract.
Bull. Natl. Res. Inst. Aquaculture, No. 21, 1-7.
- 20 Yano, I.
1992
Effect of thoracic ganglion on vitellogenin secretion in Kuruma Prawn, *Penaeus japonicus*.
Bull. Natl. Res. Inst. Aquaculture, 21, 9-14.

- 21 Yano, I.
1992
Hormonal control of reproductive maturation in penaeid shrimp.
NOAA Tech. Rep. , NMFS 106, 7-14.
- 22 Takeda, M., S. Maruyama and K. Konishi
1991
Taxonomical and biogeographical notes on *Sakaina yokoyai* (Glassell) from northern Japan
(Crustacea: Decapoda: Pinnotheridae)
Bull. Biogeograph. Soc. Japan, 46, 89-95.
- 23 Takeda, M. and K. Konishi
1991
Pinnotherid crabs from Otsuchi Bay, Iwate Prefecture, northeastern Japan.
Otsuchi Mar. Res. Cent. Rep., No. 17, 29-39.
- 24 Ohta, H. and K. Imada
1992
Effects of viscosity of coelomic fluid on sperm motility in Masu Salmon, *Onchorhynchus masu*.
Suisanzoshoku, 40, 177-182 (in Japanese)
- 25 Ohta, H. and Y. Shinriki
1992
Induction of tetraploidy by two-step heat shock in rainbow trout, *Oncorhynchus mykiss*.
Sci. Rep. Hokkaido Fish Hatchery, No. 46, 35-37.
- 26 Amano, M., K. Okuzawa, T. Yanagisawa, Y. Hasegawa and K. Aida
1992
Immunoreactive gonadotropin-releasing hormone(Ir-GnRH) in the Carp Brain.
Nippon Suisan Gakkaishi, 58, 593 (in Japanese)
- 27 Okumura, S. and K. Hirose
1991
Artificial fertilization in red tilefish, *Branchiostegus japonicus* with cryopreserved spermatozoa.
Suisanzoshoku, 39, 441-445.

- 28 Matsuyama, M., H. Kagawa, H. Takeuchi, M. Kashiwagi, T. Iwai and K. Hirose.
1992
Effect of LHRH-a cholesterol pellet on gonadal development, maturation and spawning in *Pagrus major* during winter season.
Suisanzoshoku, 40, 159-165.
- 29 Iwata, M., K. Yamaguchi, R. S. Nishioka, R. Lin and H. A. Bern.
1990
Effects of thyroxine, growth hormone and control on salinity preference of juvenile coho salmon (*Oncorhynchus kisutch*).
Mar. Behav. Physiol., 17, 191-201.
- 30 Iwata, M., K. Muto, U. Akutsu, L. B. Klyashtorin, B. P. Smirnov, V. S. Varnavsky, S. I. Kurenkov and T. Maruyama.
1991
Growth, maturation and seawater adaptability of Kamchatka Kokanee, *Oncorhynchus nerka*, implanted in Nikko.
Bull. Natl. Res. Inst. Aquaculture, No. 20, 41-51.
- 31 Ueda, T., R. Sato, M. Iwata, A. Komaru and J. Kobayashi.
1991
The viable 3.5n trouts produced between diploid females and allotriploid males.
Jan. J. Genet., 66, 71-75.
- 32 Kojima, H., K. Araya, K. Yamashita, Y. Sasaki, M. Miyamoto, T. Kurokawa, S. Matsubara and M. Iwata.
1992
Returns of adult chum salmon, *Oncorhynchus keta*, in relation to preacclimation to isotonic environment.
Sci. Rep. Hokkaido Fish Hatchery, No. 46, 17-22.
- 33 Sakamoto, T., M. Iwata and T. Hirano
1991
Kinetic studies of growth hormone and prolactin during adaptation of coho salmon, *Oncorhynchus kisutch*, to different salinities.
Gen. Comparat. Endocrinol., 82, 184-191.

- 34 Iguchi, K., F. Ito, K. Ikuta and M. Yamaguchi.
1991
Sexual dimorphism in the anal fin of Ayu *Plecoglossus altivelis*.
Nippon Suisan Gakkaishi, 57, 1501-1505.
- 35 Ikuta, K., T. Shikama, S. Oda and N. Okumoto.
1992
Acid tolerance of eyed embryos and larvae in salmonid fishes.
Bull. Natl. Res. Inst. Aquaculture, No. 21, 39-45 (in Japanese)
- 36 Iwata, M. and T. Hirano
1991
Osumoregulation
Itazawa, Y. and I. Hanyu (Eds). In: Fish Physiology, Kohseisha-Kohseikaku, Tokyo, p. 125-150 (in Japanese)
- 37 Inoue, K., F. Ikeda, T. Yamazaki and T. Hara
1991
Virucidal activities of invert soaps to IPNV and IHNV.
Gyobyou Kenkyu, 26, 195-200.
- 38 Inoue, K., F. Ikeda, T. Yamazaki and T. Hara
1991
Virucidal activities of various germicides to infectious hematopoietic necrosis virus (IHNV)
Gyobyou Kenkyu, 26, 189-194 (in Japanese)
- 39 Inoue, K., K. Yamano, Y. Maeno, K. Nakajima, M. Matsuoka, Y. Wada and M. Sorimachi
1992
Iridovirus infection of cultured red sea bream, *Pagrus major*.
Gyobyou Kenkyu, 27, 19-27 (in Japanese)
- 40 Inoue, K., K. Yoshikoshi and I. Takami
1992
Isolation of causative virus from cultured tiger puffer (*Takifugu rubripes*) affected by Kuchijirosho (snout ulcer disease)
Gyobyou Kenkyu, 27, 97-102. (in Japanese)

- 41 Miwa, S., K. Yamano and Y. Inui
1992
Thyroid hormone stimulates gastric development in flounder larvae during metamorphosis.
J. Exp. Zool., 261, 424-430.
- 42 Ototake, M. and T. Nakanishi
1992
Effects of water temperature on kinetics of bovine serum albumin in the plasma of rainbow trout *Onchorhynchus mykiss* after bath administration.
Nippon Suisan Gakkaishi, 58, 1301-1305.
- 43 Ototake, M., Ikeda, K. and T. Nakanishi
1992
Comparison of uptake of bovine serum albumin by marine and freshwater fish after hyperosmotic infiltration treatment.
Aquaculture, 103, 187-194.
- 44 Ototake, M. and T. Nakanishi
1992
Kinetics of bovine serum albumin in fish plasma after hyperosmotic infiltration treatment: comparison between marine and freshwater fish.
Aquaculture, 103, 229-240.
- 45 Nakanishi, T.
1991
Ontogeny of the immune system in *Sebastiscus marmoratus*: histogenesis of the lymphoid organs and effects of thymectomy.
Environ. Biol. Fish., 30, 135-145.
- 46 Fuda, H., T. Nakanishi and F. Yamazaki
1991
Preliminary observations on ontogenetic development of the alloimmune reactivity in chum salmon, *Oncorhynchus keta*.
Bull. Facul. Fish., Hokkaido Univ., 42(2), 35-38.

- 47 Hashimoto, K., T. Nakanishi and Y. Kurosawa
1992
Identification of a shark sequence resembling the major histocompatibility complex class I α 3 domain.
Proc. Natl. Acad. Sci. USA, 89, 2209-2212.
- 48 Takano, K., A. Takemura, M. Furihata, T. Nakanishi and A. Hara
1991
Annual reproductive and spawning cycles of female *Sebastes marmoratus*.
Environ. Biol. Fish., 30, 39-48.
- 49 Hashimoto, K., T. Nakanishi and Y. Kurosawa
1990
Isolation of carp genes encoding major histocompatibility complex antigens.
Proc. Natl. Acad. Sci. USA, 87, 6863-6867.
- 50 Wakamiya, N., Y. Osada, D. Wang, K. Nakajima, S. Kato, T. Kurimura and M. Naiki
1991
Expression of HLA-DQ antigen in activated human T lymphocytes.
Biochem. Biophys. Res. Comm., 181, 310-315.
- 51 Nakajima, K., T. Shibayama, M. Naito, T. Kurimura and K. Hirai.
1992
Comparison of indirect immunofluorescence (IF) test with enzyme-linked immunosorbent assay (ELISA) in screening of hybridomas to very virulent Marek's disease virus
Microb. Immunol., 36, 191-197.
- 52 Naito, M. and K. Nakajima
1992
Growth of a Marek's disease lymphoblastoid cell (MSB-1) in serum-free media.
Himeji-tankidaigaku Kyo, No. 37, 143-149 (in Japanese).
- 53 Suzuki, T. and S. Funakoshi
1992
Isolation of a Fibronectin-like molecule from a marine bivalve, *Pinctada fucata*, and its secretion by amebocytes.
Zool. Sci., 9, 541-550.

54 Suzuki, T., R. Yoshinaka, S. Mizuta, S. Funakoshi and K. Wada
1991
Extracellular matrix formation by amebocytes during epithelial regeneration in the pearl oyster *Pinctada fucata*.
Cell Tissue Res., 266, 75-82.

55 Yamamoto, T. and T. Akiyama
1991
Substitution of soybean meal for white fish meal in a diet for fingerling rainbow trout *Oncorhynchus mykiss*.
Bull. Natl. Res. Inst. Aquaculture, No. 20, 25032.

(B) National Research Institute of Fisheries Science

56 R. Yamanishi., H. Yokoyama, H. Ariyama, Y. Nabeshima, M. Ohtani, H. Ishizaki, Y. Nonogami, T. Hanai, N. Iyota and H. Ishi.
1991
Distribution and seasonal changes of intertidal attaching organisms in relation to water quality along the brackish reaches of the Yodo River.
Shizenshi-Kenkyu, 2(7), 83-96 (in Japanese)

57 Yokoyama, H.
1991
Abundance and composition of periphyton in the rivers in Osaka City.
Ann. Rep. Osaka City Inst. Pub. Heal. Environ. Sci., No.53, 93-99.

58 Yokoyama, H.
1992
Ecology of the pollution-indicators species in coastal waters.
Setouchi Kagaku, 4(2), 144-149. (in Japanese)

59 Yokoyama, H.
1992
Effects of organic pollution on macrobenthos and periphyton in an urban river and its estuary.
Environ. Conservation Engineer., 21, 386-392 (in Japanese)

- 60 Akamine, T. and Y. Matsumiya
1992
Mathematical analysis of age-length key method for estimating age composition from length composition.
Bull. Japan Sea Natl. Fish. Res. Inst. 42, 17-24.
- 61 Akamine, T., H. Kishino and K. Hiramatsu.
1992
Non-biased interval estimation of Leslie's removal method.
Bull. Japan Sea Natl. Res. Inst., 42, 25-39.
- 62 Kiso, K. and Y. Matsumiya
1991
Growth of fluvial form masu salmon *Oncorhynchus masu* in southern Sanriku district, Honshu, Japan.
Nippon Suisan Gakkaishi, 58, 9-13.
- 63 Murai, T.
1991
Various measures undertaken in Japan to prevent environmental pollution by fish farming.
Cowey, C. B. and C. Y. Cho (Eds) In: Nutritional strategies and aquaculture waste. Fish Nutrition Research Laboratory, Dept. of Nutritional Sciences, Univ. Guelph, p. 241-249.
- 64 Murai, T.
1992
Protein nutrition of rainbow trout.
Aquaculture, 100, 191-207.
- 65 Yamashita, M. and S. Konagaya
1991
A comparison of cystatin activity in the various tissues of chum salmon *Oncorhynchus keta* between feeding and spawning migrations.
Comp. Biochem. Physiol., 100A, 749-751.

66 Yamashita, M. and S. Konagaya

1991

Cystein protease inhibitor in egg of chum salmon.

J. Biochem., 110, 762-766.

67 Yamashita, M. and S. Konagaya

1991

Immunohistochemical localization of cathepsins B and L in the white muscle of chum salmon (*Oncorhynchus keta*) in spawning migration: Probable participation of phagocytes rich in cathepsins in extensive muscle softening of the mature salmon.

J. Agric. Food Chem., 39, 1402-1405.

68 Yokoyama, M. and J. Nakazoe

1992

Accumulation and excretion of taurine in rainbow trout (*Oncorhynchus mykiss*) fed diets supplemented with methionine, cystine and taurine.

Comp. Biochem. Physiol., 102A, 565-568.

69 Yokoyama, M. and J. Nakazoe.

1992

Utilization of methionine supplemented to diet in rainbow trout.

Nippon Suisan Gakkaishi, 58, 1347-1349.

(C) Hokkaido National Fisheries Research Institute

70 Sakanishi, Y. and N. Saga

1992

Survival of cultured cells of a laminariales plant at a super-low temperature.

Bull. Hokkaido Nat. Fish. Res. Inst., No. 56, 55-59.

71 Machiguchi, Y.

1992

Dietary value of a giant kelp *Macrocystis intergrifolia* for Japanese common sea urchin *Strongylocentrotus intermedius* (A. Agassis).

Bull. Hokkaido Nat. Fish. Res. Inst., No. 56, 61-70.

- 72 Matsubara, T. and K. Sawano
1992
Sex determination of Pacific halibut (*Hippoglossus* Schmidt) by the immunodot-blotting technique using antiserum against vitellogen.
Bull. Hokkaido Nat. Fish. Res. Inst., No. 56, 17-26.
- 73 Matsubara, T., S. Honda, K. Sawano and T. Wada.
1992
Seasonal changes in testicular developmental stages and serum levels of steroid hormones in the rearing male Japanese sardine (*Sardinops melanostictus*)
Bull. Hokkaido Nat. Fish. Res. Inst., No. 56, 7-16.
- 74 Honda, S., T. Wada and T. Matsubara.
1992
Relationship between food consumption and growth of Japanese sardine *Sardinops melanostictus* in the laboratory.
Bull. Hokkaido Nat. Fish. Res. Inst., No. 56, 1-6.

(D) Hokkaido Salmon Hatchery

- 75 Kaeriyama, M.
1992
Notes on dynamics of chum salmon population in Japan.
Tech. Rep. Hokkaido Salmon Hatchery, No. 161, 45-54 (in Japanese)
- 76 Kaeriyama, M.
1992
Development and growth of the genus *Onchorhynchus*. 4. A comparison of developmental morphology.
Tech. Rep. Hokkaido Salmon Hatchery, No. 161, 85-93. (in Japanese)
- 77 Kaeriyama, M. and S. Urawa
1992
Future research by the Hokkaido Salmon Hatchery for the proper maintenance of Japanese salmonid stocks.
Ishida, Y., K. Nagasawa, D. W. Welch, K. W. Myers and A. P. Shershnev (Eds.) In: Proceedings of the International Workshop on Future Salmon Research in the North Pacific Ocean, Nat. Inst. Far Seas Fish., p. 57-62.

- 78 Kaeriyama, M., S. Urawa and T. Suzuki
1992
Anadromous sockeye salmon (*Onchorhynchus nerka*) derived from nonanadromous kokanees: life history in Lake Toro.
Sci. Rep. Hokkaido Salmon Hatchery, No. 46, 157-174.
- 79 Mayama, H.
1992
Studies on the freshwater life and propagation technology of masu salmon, *Oncorhynchus masu* (Brevoort).
Sci. Rep. Hokkaido Salmon Hatchery, No. 46, 1-156. (in Japanese)
- 80 Nomura, T., M. Yoshimizu and T. Kimura
1991
Prevalence of *Aeromonas salmonicida* in the chum salmon (*Oncorhynchus keta*), pink salmon (*O. gorbuscha*), and masu salmon (*O. masu*) returning to rivers in Hokkaido.
Gyobyu Kenkyu, 26(3), 139-147. (in Japanese)
- 81 Nomura, T., M. Yoshimizu and T. Kimura
1991
Prevalence of *Aeromonas salmonicida* in the kidney of chum salmon (*Oncorhynchus keta*) and masu salmon (*O. masu*) at various life stage.
Gyobyu Kenkyu, 26(3), 149-153. (in Japanese)
- 82 Nomura, T., M. Yoshimizu and T. Kimura
1992
Detection of *Aeromonas salmonicida* in the coelomic fluid and kidney of mature chum salmon (*Oncorhynchus keta*), pink salmon (*O. gorbuscha*) and masu salmon (*O. masu*).
Gyobyu Kenkyu, 27(2), 69-72.
- 83 Nomura, T., M. Yoshimizu and T. Kimura
1992
An epidemiological study of furunculosis in salmon propagation.

Kimura, T. (Ed.) In: Proceedings of the OJI International Symposium on Salmonid Diseases, Hokkaido Univ. Press, Sapporo, p. 187-193.

- 84 Urawa, S.
1992
Host range and geographical distribution of the ectoparasitic protozoans *Ichthyobodo necator*, *Trichodina truttae* and *Chilodonella piscicola* on hatchery-reared salmonids.
Sci. Rep. Hokkaido Salmon Hatchery, No. 46, 175-203.
- 85 Urawa, S.
1992
Trichodina truttae Mueller, 1937 (Ciliophora: Peritrichida) on juvenile chum salmon (*Oncorhynchus keta*): pathogenicity and host-parasite interactions.
Gyobyu Kenkyu, 27(1), 29-37.
- 86 Urawa, S. and T. Azuma
1992
Bibliography of salmonids published in Japan (5) 1990
Tech. Rep. Hokkaido Salmon Hatchery, No. 161, 105-119. (in Japanese)
- 87 Urawa, S. and T. Kato
1991
Heavy infections of *Caligus orientalis* (Copepoda: Caligidae) on caged rainbow trout *Oncorhynchus mykiss* in brackish water.
Gyobyu Kenkyu, 26(3), 161-162.
- 88 Urawa, S., N. Ueki, T. Nakai and H. Yamasaki
1991
High mortality of cultured juvenile Japanese flounder, *Paralichthys olivaceus* (Temminck and Schlegel), caused by the parasitic flagellate *Ichthyobodo* sp.
J. Fish Diseases, 14, 489-494.
- 89 Yoshimizu, M., S. Direkbusarakom, T. Nomura, Y. Ezura and T. Kimura
1992
Detection of antibody against *Aeromonas salmonicida* in the serum of salmonid fish by the enzyme linked immunosorbent assay.
Gyobyu Kenkyu, 27(2), 73-82. (in Japanese)

(E) Tohoku National Fisheries Research Institute

- 90 Kawamura, T., H. Yamada, M. Asano and K. Taniguchi
1992
Benthic diatom colonization on plastic plates in the sublittoral zone off Oshika Peninsula, Japan.
Bull. Tohoku Nat. Fish. Res. Inst., No. 54, 97-102. (in Japanese)
- 91 Yamada, H., T. Kawamura, M. Asano and K. Taniguchi.
1992
Marine algal succession on artificial reefs in the sublittoral zone off Oshika Peninsula, Japan.
Bull. Tohoku Nat. Fish. Res. Inst., No. 54, 89-95. (in Japanese)
- 92 Taniguchi, K., Y. Akimoto, K. Kurata and M. Suzuki
1992
Chemical defense mechanism of the brown alga *Eisenia bicyclis* against marine herbivores.
Nippon Suisan Gakkaishi, 58, 571-575. (in Japanese)
- 93 Taniguchi, K., K. Kurata and M. Suzuki
1992
Feeding-Deterrent activity of some laminariaceous brown algae against the Ezo-abalone.
Nippon Suisan Gakkaishi, 58, 577-581. (in Japanese)
- 94 Shiraishi, K., K. Taniguchi, K. Kurata and M. Suzuki.
1992
Feeding-deterrent effects of methanol extract from the brown alga *Dictyopteris divaricata* against two herbivorous snails.
Bull. Tohoku Nat. Fish. Res. Inst., No. 54, 103-106. (in Japanese)
- 95 Yamada, H., T. Kawamura, M. Asano and K. Taniguchi.
1992
Marine algal succession on artificial reefs in the sublittoral zone off Oshika Peninsula, Japan.
Bull. Tohoku Nat. Fish. Res. Inst., No. 54, 89-95.
- 96 Yamashita, Y., K. Mochizuki and M. Piamthipmanus.
1991
Gut contents analysis of fishes sampled from the Gulf of Thailand.
Bull. Japan. Soc. Fish. Oceanogr., 55, 197-207.

(F) Nansei National Fisheries Research Institute

- 97 Sakaji, H., T. Tokai and R. Sato.
1992
Growth and Maturation of whiskered velvet shrimp *Metapenaeopsis barbata*(De Haan) i Aki-nada area, the Seto Inland Sea.
Nippon Suisan Gakkaishi, 58, 1021-1027. (in Japanese)
- 98 Yamaguchi, M.
1992
DNA synthesis and the cell cycle in the noxious red-tide dinoflagellate *Gymnodinium nagasakiense*.
Mar. Biol., 112, 191-198.
- 99 Honjo, T., M. Yamaguchi, O. Nakamura, S. Yamamoto, A. Ouchi and K. Ohwada.
1991
A relationship between winter water temperature and the timing of summer *Gymnodinium nagasakiense* red tides in Gokasho Bay.
Nippon Suisan Gakkaishi, 57, 1679-1682.
- 100 Kamiyama, T., M. Itaoka, T. Tokai, H. Sakaji and Y. Aizawa
1992
Estimation of suitable environment for nursery ground of juvenile marbled flounder, *Pleuronectes yokohamae* in coastal water.
Bull. Nansei Nat. Fish.Res. Inst., No. 25, 11-19. (in Japanese)
- 101 Tanaka, K.
1991
Adsorbed PO₄-P load by riverine suspended matter to the coastal sea during high discharge periods.
Bull. Japan. Soc. Fish. Oceanogr., 55, 323-328. (in Japanese)
- 102 Itakura, S., I. Imai and K. Itoh.
1992
Morphology and rejuvenation of *Skeletonema costatum* (Bacillariophyceae) resting cells from the bottom sediments of Hiroshima Bay, the Seto Inland Sea, Japan.
Bull. Plankton Soc. Japan, 38, 135-145. (in Japanese)

- 103 Kamiyama, T. and Y. Aizawa.
1992
Effects of temperature and light on tintinnid excystment from marine sediments.
Nippon Suisan Gakkaishi, 58, 877-884. (in Japanese)
- 104 T. Honjo.
1992
A prediction on the outbreak of *Gymnodinium nagasakiense* red tide and the measures to prevent damage.
Youshoku, 29(6), 126-127. (in Japanese)
- 105 Uchida, T. and S. Arima.
1992
Preparation of homozygous free-living filaments of *porphyra tenera* in axenic culture.
Bull. Nansei Nat. Fish. Res. Inst., No. 25, 43-50.
- 106 Uchida, T.
1992
Alkaline phosphatase and nitrate reductase activities in *Prorocentrum micans* Ehrenberg.
Bull. Plankton Soc. Japan, 38, 85-92.
- 107 Uchida, T., K. Yoshikawa, A. Arai and S. Arai.
1991
Life-cycle and its control of *Sargassum muticum* (Phaeophyta) in batch cultures.
Nippon Suisan Gakkaishi, 57, 2249-2253.
- 108 Arai, R., Y. Akai and N. Suzuki.
1992
The karyotype of a Chinese bitterling, *Acheilognathus tonkinensis* (Pisces, Cyprinidae).
Bull. Nat. Sci. Mus., Ser. A (Zoology), 18(2), 73-77.
- 109 Suzuki, N. and M. Hiraki.
1991
Intraepithelial blood capillaries in fish species.
Rep. Kanagawa Nat. Preserv. Soc., No. 10, 1-11. (in Japanese)

- 110 Suzuki, N.
1992
Fine structure of the epidermis of the mudskipper, *Periophthalmus modestus* (Gobiidae).
Japan. J. Ichthyol., 38(4), 379-396.
- 111 Suzuki, N., M. Tamura, I. Ohuchi, K. Hiromatsu and T. Sugihara.
1992
Gonadal sex differentiation of hatchery-reared flounder, *Limanda yokohamae*.
Suisanzoshoku, 40(2), 189-199. (In Japanese)
- 112 Oseko, N., M. Yoshimizu and T. Kimura.
1992
In vitro comparative ultrastructural observations on fish rhabdoviruses (HRV, IHNV, PFR, EVA and EVEX).
Shariff, M., R. P. Subasinghe and J. R. Arthur (Eds.) In: Diseases in Asian Aquaculture I, Fish Health Section of the Asian Fisheries Society, p. 247-252.
- 113 Ikehara, K.
1992
Ecology and Fisheries utilization of drifting seaweeds and attendant fishes.
Offshore Material Series, No. 5, Japan Mar. Fish. Resource Res. Cen., Tokyo, pp. 61.
- 114 Uchida, T.
1992
Biotechnological studies in marine algae.
Res. J. Food Agricul., 15(2), 17-20. (in Japanese)
- 115 Kosugi, R., H. Momota, S. Kawai, H. Ohgai, H. Ishioka and A. Hara.
1992
Production of recombinant red sea bream growth hormone using a secretion plasmid of *Escherichia coli* and its binding activity to the membranes of red sea bream liver.
Nippon Suisan Gakkaishi, 58, 1115-1122.

116 Hamaguchi, M., H. Usuki and H. Ishioka.

1992

Classification of blood cells of tiger puffer, *Takifugu rubripes*, and grass puffer, *Takifugu niphobles*.

Bull. Nansei Nat. Fish. Res. Inst., No. 25, 51-58. (in Japanese)

(G) Seikai National Fisheries Research Institute

117 Okauchi, M.

1991

The status of phytoplankton production in Japan.

Rotifer and Microalgae culture Systems. Proceed. US-Asia Workshop, Honolulu, Oceanic Inst., p. 248-256.

(H) National Research Institute of Fisheries Engineering

118 Akeda, S., N. Takagi and K. Tanaka.

1992

Experimental study on stability of rocks for improvement and development of fishing ground in shallow sea.

Tech. Rep. Nat. Res. Inst. Fish. Engineer., No. 14, 77-84. (in Japanese)

119 Takagi, N. and S. Akeda.

1992

Hydraulic model test on formation of pisciculture ground at Takahama, Fukui Pref.

Tech. Rep. Nat. Res. Inst. Fish. Engineer., No. 14, 37-75. (in Japanese)

120 Fujihara, M., S. Akeda and T. Takeuchi

1992

Development of multi-level density flow model and its application to the upwelling generated by artificial structures.

Tech. Rep. Nat. Res. Inst. Fish. Engineer., No. 14, 13-35. (in Japanese)

121 Hagino, S.

1992

Study of internal tides in Nomi Bay I. Observations and theoretical consideration.

Fish. Engineer., 29(1), 1-8. (in Japanese)

- 122 Hagino, S.
1992
Study of internal tides in Nomi Bay II. Numerical experiments and application to the improvement of seawater quality.
Fish. Engineer., 29(1), 9-16. (in Japanese)
- 123 Higano, J.
1991
Distribution of bivalves in sandy bottom and the behavioral characteristics of their larvae.
Kaiyo Monthly, 23, 672-676. (in Japanese)
- 124 Kawamata, S.
1992
Field measurement of water motion affecting benthic communities.
Kaiyo Monthly, 24, 492-497. (in Japanese)