

Publications for the UJNR Aquaculture Panel (Japanese Side)**(from September, 1992 to August, 1993)****National Research Institute of Aquaculture**

- 1 Matsuyama, M., H. Kagawa, H. Takeuchi, M. Kashiwagi, T. Imai and K. Hirose
1992
Effect of LHRH-a cholesterol pellet on gonadal development.- Maturation and spawning in *Pagrus major* during winter season (in Japanese).
Suisanzoshoku, 40, 159-165
- 2 Tanaka, H., H. Kagawa, K. Okuzawa and K. Hirose
1993
Purification of gonadotropins (PmGTH I and II) from red seabream (*Pagrus major*) and development of a homologous radioimmunoassay for PmGTH II.
Fish Physiol. Biochem., 10, 409-418.
- 3 Komai, T., S. Maruyama and K. Konishi
1992
A list of decapod crustaceans from Hokkaido, Northern Japan (in Japanese).
Res. Crustacea, No. 21, 189-205.
- 4 Kagawa, H.
1992
Reproductive physiology and induced spawning of yellowtail (*Seriola quinqueradiata*).
NOAA Tech. Rep., 106, 15-18.
- 5 Osada, M., T. Unuma and K. Mori
1992
Purification and characterization of yolk protein from the scallop ovary.
Nippon Suisan Gakkaishi, 58, 2283-2289.
- 6 Suzuki, T., A. Hara, K. Yamaguchi and K. Mori.
1992
Purification and immunolocalization of a vitellin-like protein from the Pacific oyster *Crassostrea gigas*.
Mar. Biol., 113, 239-245.

- 7 Fujikawa, N., I. Nakayama and H. Onozato.
1993
Genetic inactivation of crucian carp eggs using a simple X-ray irradiation apparatus.
Bull. Natl. Res. Inst. Aquaculture, 22, 11-19.
- 8 Hosoya, K. and K. Kawamura.
1993
Skeletal structure of the branchial arches in *Paralichthys olivaceus* (Temminck et Schlegel).
Bull. Natl. Res. Inst. Aquaculture, 22, 1-10.
- 9 Wada, K. T., and A. Komaru.
1993
Karyotype of the Chinese macra clam, *Macra chinensis*.
Venus, 52, 63-68.
- 10 Durand P., K. T. Wada and F. Blanc.
1993
Genetic variation in wild and hatchery stocks of the black pearl oyster, *Pinctada margaritifera*, from Japan.
Aquaculture, 110, 27-40.
- 11 Shiraishi, M., K. Fujii, T. Maruyama and H. Maeda.
1993
Basic research on aquaculture of sturgeon-I. Growth and vitellogenesis of hybrid sturgeon between female *Huso huso* and male *Acipenser ruthenus*, so called "Bester".
Bull. Natl. Res. Inst. Aquaculture, 22, 27-35.
- 12 Awaji, M.
1991
Separation of outer epithelial cells from pearl oyster mantle by dispase digestion.
Proc. 8th Internat. Conf. Invertebrate and Fish Tissue Culture, M. J. Jr. Fraser (Ed.), Tissue Culture Ass., Maryland, 43-46.
- 13 Nogami, K. and M. Maeda.
1992
Bacteria as biocontrol agents for rearing larvae of the crab *Portunus trituberculatus*.
Can. J. Fish. Aquat. Sci., 49, 2373-2376.

- 14 Maeda, M., M. Suhama, N. Taga and R. Marumo.
1992
Characteristics of ciliated protozoa inhabiting colonies of pelagic blue-green algae.
La Mer, 30, 27-32.
- 15 Kitamura, S. and H. Ogata.
1993
Olfactory responses of male loach, *Misgurnus anguillicaudatus*, to the holding water of ovulated female.
Bull. Natl. Res. Inst. Aquaculture, 22, 37-42.
- 16 Ikuta, K., M. Nagano, T. Shikama, H. Nakamura, s. Kitamura and N. Okumoto.
1993
Acid tolerance of prey organisms for salmonid fish.
Bull. Natl. Res. Inst. Auaculture, 22, 43-48.
- 17 Yokoyama, H.
1992
Ecology of the pollution-indicator species in an oxygen-sink environment.
Yosokuken News, No.24, 27-33.

Hokkaido National Fisheries Research Institute

- 18 Nakamura, Y., N. Hirayama and T. Fukamachi
1993
Optimum ship arrangement for dredge fishery of surf clam by fishery management system.
Nippon Suisan Gakkaishi, 59, 601-608.
- 19 Iizumi, H.
1992
Acetylene reducing activity at a tropical seagrass bed in Papua New Guinea.
J. Oceanogr., 48, 377-384.
- 20 Sakanishi, Y. and H. Iizumi.
1993
Photosynthetic and respiratory responses to temperature of the brown alga *Laminaria longissima* Miyabe (Laminariales, Phaeophyta) (in Japanese).
Bull. Hokkaido Natl. Fish. Res. Inst., 57, 75-79.

- 21 Machiguchi, Y.
1993
Growth and feeding behavior of the sea urchin *Strongylocentrotus nudus* (A. Agassiz) (in Japanese).
Bull. Hokkaido Natl. Fish. Res. Inst., 57, 81-86.
- 22 Minami, T. and M. Tanaka.
1992
Life history cycles in flatfish from the Northwestern Pacific, with particular reference to their early life histories.
Netherlands J. Sea Res., 29, 35-48.

Hokkaido Salmon Hatchery

- 23 Ban, M. and S. Kogarumai.
1993
Effects of body size on seawater tolerance of hatchery-reared sockeye salmon (*Onchorhynchus nerka*) during the underyearling period (in Japanese).
Tech. Rep Hokkaido Salmon Hatchery, No. 162, 51-55.
- 24 Kaeriyama, M.
1992
Ocean ecology of North Pacific salmonids. W. G. Pearcy 1992.
Japan. J. Ichthyol., 39, 405-407.
- 25 Kaeriyama, M.
1993
Life history of sockeye salmon released from hatchery (in Japanese).
Tech. Rep Hokkaido Salmon Hatchery, No. 162, 57-61.
- 26 Kaeriyama, M.
1993
Development and growth of the genus *Oncorhynchus*. 5. The law of effective accumulative temperature (in Japanese).
Tech. Rep Hokkaido Salmon Hatchery, No. 162, 77-80.

- 27 Kaeriyama, M.
1993
Ocean migrations of *Oncorhynchus* (in Japanese).
Animals on the Earth, 4(3), 70-72 .
- 28 Mayama, H.
1993
An ecological view on the enhancement of masu salmon through the release of smolts: masu salmon management and the stream habitats (in Japanese).
Tech. Rep Hokkaido Salmon Hatchery, No. 162,9-18.
- 29 Nomura, T.
1992
The epidemiological study of furunculosis in salmon propagation.
NOAA Tech. Rep., NMFS 111, 101-108.
- 30 Nomura, T.
1993
The epidemiological study of furunculosis in salmon propagation (in Japanese).
Sci. Rep. Hokkaido Salmon Hatchery, No. 47, 1-99.
- 31 Suzuki, T.
1993
A review of gastric evacuation rate of salmonids.
Sci. Rep. Hokkaido Salmon Hatchery, No. 47, 101-107.
- 32 Urawa, S.
1992
Epidermal responses of chum salmon (*Oncorhynchus keta*) fry to the ectoparasitic flagellate *Ichthyobodo necator*.
Can. J. Zool., 70, 1567-1575.
- 33 Urawa, S.
1993
Effects of *Ichthyobodo necator* infections on seawater survival of juvenile chum salmon (*Oncorhynchus keta*).
Aquaculture, 110, 101-110.

34 Urawa, S. and T. Azuma.

1993

Bibliography of salmonids published in Japan (6) 1991 (in Japanese).

Tech. Rep Hokkaido Salmon Hatchery, No. 162, 93-110.

35 Urawa, S. and S. Yamano.

1992

Scanning electron microscopy and pathogenicity of *Chilodonella piscicola* (Ciliophora) on juvenile salmonids.

J. Aquatic Animal Health, 4, 188-197.

Tohoku National Fisheries Research Institute

36 Yamasaki, M.

1992

A preliminary study on seasonal variation in caloric equivalent of the seaweed *Eisenia bicyclis*, collected from the west coast of Hirado Island.

Nippon Suisan Gakkaishi, 58, 1775.

37 Taniguchi, K., K. Kurata, M. Suzuki and K. Shiraishi.

1992

Feeding-deterrent activity of diterpenes from the brown alga *Dilophus okamurai* against the abalone *Haliotis discus hannai* (in Japanese).

Nippon Suisan Gakkaishi, 58, 1931-1936.

38 Taniguchi, K., J. Yamada, K. Kurata and M. Suzuki.

1993

Feeding-deterrents from the brown alga *Dictyopteris undulata* against the abalone *Haliotis discus hannai* (in Japanese).

Nippon Suisan Gakkaishi, 59, 339-343.

39 Taniguchi, K., H. Kojima and H. Yamada.

1993

Observations on growth and maturation of one-year-old plants of *Eisenia bicyclis* (Laminariaceae; Phaeophyta) (in Japanese).

Nippon Suisan Gakkaishi, 59, 441-444.

- 40 Kimura, S., M. J. Kishi, H. Nakata and Y. Yamashita.
1992
A numerical analysis of population dynamics of the sand lance (*Amodytes personatus*) in the eastern Seto Inland Sea, Japan.
Fish. Oceanogr., 1, 321-332.
- 41 Kawamura, T. and S. Kikuchi.
1992
Effects of benthic diatoms of settlement and metamorphosis of abalone larvae (in Japanese).
Suisanzoshoku, 40, 403-409.
- 42 Kawamura, T.
1992
Seasonal changes in benthic diatom communities colonizing glass slides in Aburatsubo Bay, Japan.
Diatom Res., 7, 227-239.

National Research Institute of Fisheries Science

- 43 Yamashita, M. and S. Konagaya.
1992
Differentiation and localization of catheptic proteinases responsible for extensive autolysis of mature chum salmon muscle (*Oncorhynchus keta*).
Comp. Biochem. Physiol., 103B, 999-1003.
- 44 Yamashita, M. and S. Konagaya.
1992
An enzyme-inhibitor complex of cathepsin L in the white muscle of chum salmon (*Oncorhynchus keta*) in spawning migration.
Comp. Biochem. Physiol., 103B, 1005-1010.
- 45 Saito, H. and M. Udagawa.
1992
Application of NMR to evaluate the oxidative deterioration of brown fish meal.
J. Sci. Food Agric., 58, 135-137.

Japan Sea National Fisheries Research Institute

46 Hara, M., K. Dewa and E. Yamamoto.

1993

DNA-fingerprinting with non-radioactive probe in clonal flounder *Paralichthys olivaceus* (in Japanese).

Nippon Suisan Gakkaishi, 59, 731.

47 Hara, M., K. Dewa, E. Naito and H. Yamanouti.

1993

DNA-fingerprinting with non-radioactive probe in a flounder, *Paralichthys olivaceus*.

Bull. Japan Sea. Natl. Fish. Res. Inst., 43, 117-123.

48 Sato, Z. and T. Nagasawa.

1993

The influence of temperature on ignition loss of shallow sea bottom sediments (in Japanese).

Bull. Japan Sea Natl. Res. Inst., 43, 105-115.

Nansei National Fisheries Research Institute

49 Ishida, H., R. Kosugi, K. Ouchi, A. Hara, T. Nagamatu, S. Mihara and H. Ogai.

1992

Effect of recombinant red sea bream growth hormone on growth of young red sea bream.

Nippon Suisan Gakkaishi, 58, 2335-2340.

50 Kamiyama, T. and Y. Aizawa.

1992

Effects of temperature and light on tintinnid excystment from marine sediments (in Japanese).

Nippon Suisan Gakkaishi, 58, 877-884.

51 Imai, I., S. Itakura and A. Ouchi.

1993

Occurrence of *Chattonella* red tide and cyst dynamics in sediments in northern Hiroshima Bay, the Seto Inland Sea, Japan (in Japanese).

Nippon Suisan Gakkaishi, 59, 1-6.

52 Tamai, K.

1993

Tolerance of *Theora fragilis* (Bivalvia: Semelidae) to low concentrations of dissolved oxygen (in Japanese).

Nippon Suisan Gakkaishi, 59, 615-620.

- 53 Honjo, T.
1993
Overview on bloom dynamics and physiological ecology of *Heterosigma akashiwo*.
Toxic Phytoplankton Blooms in the Sea. Smayda, T. J. and Y. Shimizu (Eds.), Elsevier Sci. Publ., p. 33-41.
- 54 Suzuki, N.
1993
Electron microscopic study on intestinal epithelium of marine teleost, *Acanthogobius flavimanus* with reference to the adaptive functions (in Japanese).
Bull. Nansei Natl. Fish. Res. Inst., 26, 113-132.
- 55 Suzuki, N., N. Sakurai and T. Sugihara.
1992
Histological changes in some visceral organs of the oriental goby, *Acanthogobius flavimanus* after spawning season, with reference to starvation.
Suisanzoshoku, 40, 417-426.
- 56 Suzuki, N.
1992
Development of eggs, larvae and juveniles of the body *Tridentiger obscurus* reared in the laboratory (in Japanese).
Rep. Kanagawa Nat. Preserv. Soc., No. 11, 1-10.
- 57 Sako, H.
1992
Acquired immunity of yellowtail, *Seriola quinqueradiata* recovered from experimental infection with β -hemolytic *Streptococcus* sp. (in Japanese).
Suisanzoshoku, 40, 389-392.
- 58 Sako, H.
1992
Efficacy of vaccination against β -hemolytic streptococcal infection in cultured yellowtail, *Seriola quinqueradiata* (in Japanese).
Suisanzoshoku, 40, 393-397.

- 59 Fukuda, M.
1993
Changes in the glycogen content of Pacific herring, *Clupea pallasii*, during metamorphosis and the subsequent juvenile stage.
Bull. Nansei Natl. Fish. Res. Inst., 26, 107-111.
- 60 Uchida, T.
1993
The life cycle of *Sargassum horneri* (Phaeophyta) in laboratory culture.
J. Phycol., 29, 231-235.
- 61 Tanaka, K.
1992
The runoff of phosphorus associated with soil erosion and its effects on estuarine and nearshore ecosystems (in Japanese).
Proc. Japan Sci. Coun. fish. Resour., 28, 45-54.

Seikai National Fisheries Research Institute

- 62 Mizukami, Y., M. Okauchi and H. Kito.
1992
Effects of cell wall-lytic enzymes on the electrofusion efficiency of protoplasts from *Porphyra yezoensis*.
Auculture, 108, 193-205.
- 63 Mizukami, Y., H. Kito and M. Okauchi.
1993
Factors affecting the electrofusion efficiency of *Porphyra* protoplasts.
J. Appl. Phycol., 5, 29-36.
- 64 Sudo, H. and M. Azeta.
1992
Selective predation on mature male *Byblis japonicus* (Amphipoda: Gammaridea) by the barface cardinalfish, *Apogon semilineatus*.
Mar. Biol., 114, 211-217.

65 Sudo, H., T. Goto, R. Ikemoto, M. Tomiyama and M. Azeta.

1992

Mortality of reared flounder (*Paralichthys olivaceus*) juveniles released in Shijiki Bay (in Japanese).

Bull. Seikai Natl. Fish. Res. Inst., 70, 29-37.