

**LITERATURE EXCHANGE FROM JAPANESE
AQUACULTURE PANEL, UJNR,
TO THE UNITED STATES PANEL, UJNR**
(from September, 1996 to August, 1997)

Hokkaido National Fisheries Research Institute

1. Matsubara, T. and Y. Koya
1997
Course of proteolytic cleavage in three classes of yolk proteins during oocyte maturation in barfin flounder *Verasper moseri*, a marine teleost spawning pelagic eggs.
J. Exp. Zool. 278:189-200.

Hokkaido Salmon Hatchery

2. Ban, M., H. Hasegawa and M. Ezure
1996
Effects of starvation and refeeding on physiological condition of juvenile chum salmon, *Oncorhynchus keta*.
Sci. Rep. Hokkaido Salmon Hatchery, 50:117-123.
3. Fukuwaka, M.
1996
Allometric back-calculation of individual growth for chum salmon otolith during early life.
Sci. Rep. Hokkaido Salmon Hatchery, 50:113-116.
4. Fukuwaka, M.
1997
Biological characteristics of mature chum salmon returned to Abacha River in Kamchatka
Nat. Res. Inst. Far Seas Fish. Salmon Rep. Series, 42:106-109. (in Japanese)
5. Fukuwaka, M.
1997
Structure and formation of fish scale, and scale pattern analysis.
Tech. Rep. Hokkaido Salmon Hatchery, 166:45-52. (in Japanese)

6. Fukuwaka, M. and M. Kaeriyama
1997
Scale analyses to estimate somatic growth in sockeye salmon, *Oncorhynchus nerka*.
Can. J. Fish. Aquat. Sci., 54(3):631-636.
7. Hiraoka, S., H. Ando, M. Ban, H. Ueda and A. Urano
1997
Changes in expression of neurohypophysial hormone genes during spawning migration in
chum salmon, *Oncorhynchus keta*.
J. Mol. Endocrinol., 18:49-55.
8. Kaeruyama, M.
1996
Reproduction and optimum release technology of salmonids in Japan.
Oceanogr., 28(10):589-594. (in Japanese)
9. Kaeriyama, M.
1996
Effects of population density and habitat environment on life history strategy and migration of
juvenile sockeye (*Oncorhynchus nerka*) and chum salmon (*O. keta*).
Sci. Rep. Hokkaido Salmon Hatchery, 50:101-111.
10. Kaeriyama, M.
1997
Climate change and biomass of genus *Oncorhynchus* in the North Pacific Ocean.
Fish. Oceanogr., 61(1):75-77. (in Japanese)
11. Kaeriyama, M.
1997
Life history strategy and migration pattern of juvenile sockeye and chum salmon
Mem. Fac. Fish. Hokkaido Univ., 44(1):25-30.
12. Moravec, F., S. Urawa and C. O. Coria
1997
Hysterothylacium patagonense n. sp. (Nematoda: Anisakidae) from freshwater fishes in
Patagonia, Argentina, with a key to the species of *Hysterothylacium* in American freshwater
fishes.
Systematic Parasitology, 36:31-38.
13. Ohkuma, K.
1997

An attempt to identify long term reared masu salmon based on the difference in scale characteristics.
Tech. Rep. Hokkaido Salmon Hatchery, 166:35-43. (in Japanese with English summary)

14. Sakano, H., M. Kaeriyama, H. Ueda, Y. Sakurai and K. Shimazaki
1996
Growth pattern and age determination by scales of lacustrine sockeye salmon in Lake Toya.
Sci. Rep. Hokkaido Salmon Hatchery, 50:125-138. (in Japanese with English summary)
15. Seki, J. and I. Shimizu
1996
Effect time of larval release on return rate in Chum salmon (*Oncorhynchus keta*) in the Hiroo river, Hokkaido, Japan.
Bull. Jap. Soc. Fish. Oceanogr., 60(4):339-347. (in Japanese with English summary)
16. Seki, J., I. Shimizu and T. Suzuki
1997
The migration and growth of the marked juvenile chum salmon (*Oncorhynchus keta*) in the Pacific coastal waters off the central of Hokkaido, Japan.
Bull. Jap. Soc. Fish. Oceanogr., 61(1):1-9. (in Japanese with English summary)
17. Sung, J., M. Yoshimizu, T. Nomura and Y. Ezura
1996
Oncorhynchus masou virus: serological relationships among salmonid herpesviruses isolated from kokanee salmon, masu salmon, coho salmon and rainbow trout.
Sci. Rep. Hokkaido Salmon Hatchery, 50:139-144.
18. Sung, J., M. Yoshimizu, T. Nomura and Y. Ezura
1996
Oncorhynchus masou virus pathogenicity of salmonid herpesvirus 2 strains against masu salmon fry (*Oncorhynchus masou*).
Sci. Rep. Hokkaido Salmon Hatchery, 50:145-148.
19. Urawa, S.
1995
Effects of rearing conditions on growth and mortality of juvenile chum salmon (*Oncorhynchus keta*) infected with *Ichthyobodo necator*.
Can. J. Fish. Aquat. Sci., 52(1):18-23.

20. Urawa, S.
1996
The pathobiology of ectoparasitic protozoans on hatchery-reared pacific salmon.
Sci. rep. Hokkaido Salmon Hatchery, 50:1-99.
21. Urawa, S. and T. Azuma
1996
Bibliography of salmonids published in Japan (9):1994
Sci. Rep. Hokkaido Salmon Hatchery, 50:149-159.
22. Yano, A., M. Ogura, A. Sato, Y. Sakaki, M. Ban and K. Nagasawa
1996
Development of ultrasonic telemetry technique for investigating the magnetic sense of salmonids.
Fish. Sci., 62(5):698-704.

Tohoku National Fisheries Research Institute

23. Hoshiai, G., T. Suzuki, T. Onodera, M. Yamasaki and S. Taguchi
1997
A case of non-toxic mussels under the presene of high concentrations of toxic dinoflagellate *Dinophysis acuminata* that occurred in Kesenuma bay, northern Japan.
Fish. Sci., 63(2):317-318.
24. Seki, T.
1996
Ecological control of marine forest and abalone resource enhancement.
Proc. 7th Cofer., Jap. Chi. & Kor. Marine Fish. Resource Enhacement, 24-25 Oct\ '96, 395-408.(in Japanese)
25. Seki, T.
1996
Biological requirement of abalone larvae during settlement and metamorphosis.
Soc. Fish. Oceanogra., 60(4):400-407.(in Japanese)
26. Seki, T.
1997
Biological studies on the seed production of the northern Japanese abalone, *HALIOTIS DISCUS HADNAI INO*.

Bull. Tohoku Natl. Fish. Res. Inst., 59:1-71.

27. Suzuki, T. and R. Yoshizawa
1997
Diarrhetic shellfish toxins determined by high-performance liquid chromatography-fluorometry in mussels, *Mytilus coruscus*, from the Niigata coast of Japan.
UJNR Technical Report, 24:97-100.
28. Suzuki, T., T. Mitsuya, M. Imai and M. Yamasaki
1997
DSP toxin contents in *Dinophysis fortii* and scallops collected at Mutsu bay, Japan.
J. Appl. Phycol., 8:509-515.
29. Suzuki, T. and R. Yoshizawa and M. Yamasaki
1996
Determination of DSP toxins in mussels collected on the Nigata coast of Japan by hplc-fluorometry.
Harmful and Toxic Algal Blooms, *Intergovernmental Oceanographic Commission of UNESCO*, 531-533.
30. Takami, H., T. Kawamura and Y. Yamahita
1997
Survial and growth rates of post-larval abalone *Haliotis discus hannai* fed conspecific trail mucus and / or benthic diatom *Cocconeis scutellum* var.
Aquaculture, 152:129-138.
31. Yamamoto, M. and M. Yamasaki
1996
Japanese montoring system on shellfish toxins.
Harmful and Toxic Algal Blooms, *Intergovernmental Oceangraphic commission of UNESCO*, 19-22.
32. Yamashita, Y., Y. Tsuruta and H. Yamada
1996
Transport and settlement mechanisms of larval stone flounder, *Kareius bicoloratus*, into nursery grounds.
Fish. Oceanogr., 5(3/4):194-204.
33. Yamashita, Y.
1997

Ecology and releasing techniques.

In 「Biology and Enhancement of Japanese Flounder」 .
Marine Scholor Series, 112:107-116.(in Japanese)

National Research Institute of Fisheries Engineering

34. Adachi, K., J. Higano, M. Yamamoto, A. Tanimura, M. Kodama and Y. Takashima
1997
A field experiment on a nursery culture of clams in an artificial pond inside a fishing port 1. estimation of the water exchange volume.
Tech. Rept. Nat. Res. Inst. Fish. Eng., 19:1-10. (in Japanese with English summary)
35. Kawamata, S.
1997
Modelling the feeding rate of the sea urchin *Strongylocentrotus nudus* (A. Agassiz) on kelp.
J. Exp. Mar. Biol. Ecol., 210:107-127.
36. Kubo, S.
1997
Investigation of physical environment of tideland off Ushigome, Kisarazu city -mainly about changes of bottom materials- .
Tech. Rept. Nat. Res. Inst. Fish. Eng., 19:15-28. (in Japanese with English summary)
37. Tanimura, A., M. Kodama, Y. Takashima, K. Adachi, J. Higano and M. Yamamoto
1997
A field experiment on a nursery culture of clams in an artificial pond inside a fishing port 2. growth and survival of the Japanese surf clams *Pseudocardium Sachalinensis*.
Tech. Rept. Nat. Res. Inst. Fish. Eng., 19:11-14. (in Japanese with English summary)
38. Takagi, N., A. Moriguchi K. Kimoto and K. Arai
1997
The observation of the fishes' behavior around an artificial reef with an underwater television camera - about using a tethered underwater television camera without propulsion - .
Tech. Rept. Nat. res. Inst. Fish. Eng., 19:29-44. (in Japanese eith English summary)
39. Park, Jong-Hwa, A. Nakayama and M. Seguchi

1997

Environmental characteristics of sediments in the tidal flat region of the coastal zone.
Bull. Nat. Res. Inst. Fish. Eng., 18:1-19. (in Japanese with English summary)

40. Yamamoto, J., A. Nakayama and K. Nakamura

1997

Hydraulic model study on the water-intake works at the deep water level.
Tech. Rept. Nat. Res. Inst. Fish. Eng., 19:45-56. (in Japanese with English summary)

Japan International Research Center for Agricultural Sciences

41. Ahmad Husin bin Alias

1996

Structure of fish assemblages in selangor/Matang mangroves on the west coast of Peninsular Malaysia.

JIRCAS Working Report, 4:27-35.

42. Higano, J., K. Adachi and H. Kuwahara

1997

Enviironmental factors influencing clam culture on sandy shores.

UJNR Technical Report, 24:65-70.

43. Hayase, S.

1996

Methods for food-chain analysis in aquatic ecosystems.

JIRCAS Working Report, 4:51-62

National Research Institute of Fisheries Science

44. Dedi, J., T. Takeuchi, T. Seikai, T. Watanabe and K. Hosoya

1997

Hypervitaminosis a during vertebral morphogenesis in larval Japanese flounder.

Fish. Sci., 63(3):466-473.

45. Ito, F., M. Yamaguchi and T. Yada

- 1996
Effect of low pH exposure on gametogenesis and spawning behavior in the medaka, *Oryzias latipes*.
Proceeding Int. Symp. Acidic Deposition and Its Impacts, 353-356.
46. Katano, O. and K. Maekawa
1997
Reproductive regulation in the female Japanese minnow, *Pseudorasbora parva* (Cyprinidae).
Environ. Biol. Fish., 49:197-205.
47. Katano, O. and K. Iguchi
1996
Individual differences in territory and growth of ayu, *Plecoglossus altivelis* (Osmeridae).
Can. J. Zool., 74:2170-2177.
48. Numaguchi, K.
1996
Gonad development of the ark shell *Scapharca broughtonii* (Schrenck) Broodstock in farming grounds of Japan
Nippon Suisan Gakkaishi, 62(3):384-392. (in Japanese with English summary)
49. Numaguchi, K.
1997
A preliminary trial to induce maturity and spawning of the common oriental clam *Meretrix lusoria* out of spawning season.
J. World Aqua. Soc., 28(1):118-120
50. Takeuchi, T., J. Dedi, C. Ebisawa, T. Watanabe, T. Seikai, K. Hosoya and J. Nakazoe
1995
The effect of β -carotene and vitamin a enriched *Artemia* naupli on the malformation and color abnormality of larval Japanese flounder
Fish. Sci., 61(1):141-148.
51. Yamashita, M. and S. Konagaya
1996
Molecular cloning and gene expression of chum salmon cystatin.
J. Biochem., 120:483-487.
52. Yamashita, M. and S. Konagaya

1996

A novel cysteine protease inhibitor of the egg of chum salmon, containing a cysteine-rich throglobulin-like motif.

J. Biol. Chem., 271(3):1282-1284.

53. Yamashita, M., N. Ojima and T. Sakamoto

1996

Molecular cloning and cold-inducible gene expression of ferritin H subunit isoforms in rainbow trout cells.

J. Biol. Chem., 271(43):26908-26913.

54. Yada, T. and F. Ito

1997

Differences in tolerance to acidic environments between two species of tilapia, *Oreochromis niloticus* and *O. mossambicus*

Bull. Natl. Res. Inst. Fish. Sci., 9:11-18.

Japan Sea National Fisheries Research Institute

55. Hayashi, I., K. Taniguchi and K. Kurata

1996

Effect of the feeding deterrents extracted from marine algae on the feeding activity of a small herbivorous gastropod, *Homalopoma amussitatum*.

Venus, 55(4):307-316.

56. Minami, T. and M. Tanaka

1997

Biology and stock enhancement of Japanese flounder.

Marine Scholarship Series, 112:9-24. (in Japanese)

57. Sudo, H. and M. Azeta

1996

Life history and production of the amphipod *Byblis japonicus* Dahl (Gammaridea; Ampeliscidae) in a warm temperate zone habitat. Shijiki Bay, Japan.

J. Exp. Mar. Biol. Ecol., 198:203-222.

National Research Institute of Aquaculture

58. Abo, K. and S. Toda
1997
Effects of water movement on the fluctuation of oxygen concentration in the lower layer of Gokasho bay on the east coast of honshu island, Japan.
UJNR Tech. Rep., 24:85-89.
59. Abo, K. S. Toda, T. Kurokawa and S. Yamamoto
1997
Effects of wind on oceanographic conditions of Gokasho bay.
Bull. Natl. Res. Inst. Aquacult., 26:27-34. (in Japanese with English summary)
60. Fujiwara, T. and T. Takahashi
1997
Internal tide driving of estuarine-shelf water exchange.
Proc. 7th Int. Offshore Polar Engineering Conf., 144-148.
61. Komaru, A. and K. Konishi
1996
Ultrastructure of biflagellate spermatozoa in the freshwater clam, *Corbicula leana* (Prime).
Invertebr. Reprod. Dev., 29(3):193-197.
62. Ohta, H. and T. Izawa
1996
Diluent for cool storage of the Japanese eel (*Anguilla japonica*) spermatozoa.
Aquacult., 142:107-118.
63. Ohta, H. and K. Takano
1996
Testicular maturation induced by methyltestosterone in elvers of the Japanese eel *Anguilla japonica*.
Fish. Sci., 62(6):990-991
64. Ohta, H., H. Tanaka, H. Kagawa, K. Okuzawa and N. Iinuma
1997
Artificial fertilization using testicular spermatozoa in the Japanese eel *Anguilla japonica*.
Fish. Sci., 63(3):393-396.
65. Ohta, H., K. Ikeda and T. Izawa
1997

Increases in concentrations of potassium and bicarbonate ions promote acquisition of motility in vitro by Japanese eel spermatozoa.
J. Exp. Zool., 277:171-180.

66. Tensen, C., K. Okuzawa, M. Blomenrohr, F. Rebers, R. Leurs, J. Bogerd, R. Schulz and H. Goos
1997
Distinct efficacies for two endogenous ligands on a single cognate gonadoliberin receptor.
Eur. J. Biochem., 243:134-140.
67. Araki, K., N. Fujikawa, I. Nakayama, H. Nagoya and H. Onozato
1996
Early expression of a hatching enzyme gene in masu salmon (*Oncorhynchus masou*) embryos.
Can. J. Fish. Aquac. Sci., 53(3):509-512.
68. Hikichi, K., E. Terauchi, E. M. Okauchi and N. Saga
1996
Methods for cryopreservatoin of some species of the food microalgac (NRIA culture collection).
Cryobiol. Cryotech., 42(2):85-92. (in Japanese with English summary)
69. Inohaya, K., S. Yasumasu, K. Araki, K. Naruse, K. Yamazaki, I. Yasumasu, I. Luchi and K. Yamagami
1997
Species-dependent migration of fish hatching gland cells that commonly express astacin-like proteases in common.
Develop. Growth Differ., 39:191-197.
70. Kawamura, K. and K. Hosoya
1997
Discovery of an endangered cyprinid, *Pseudorasbora pumila* subsp, sensu nakamura (1969), from the Miya river system, Mie.
Jap. J. Ichthyol., 44(1):57-60. (in Japanese with English summary)
71. Okauchi, M., K. Kawamura and Y. Mizukami
1997
Nutritive value of 'Tahiti isochrysis' *Isochrysis* sp. for larval greasy back shrimp, *Metapenaeus ensis*.
Bull. Natl. Res. Inst. Aquacult., 26:1-11.

72. Okazaki, T., T. Kobayashi and Y. Uozumi
1996
Genetic relationships of pilchards (genus: *Sardinops*) with anti-tropical distributions.
Mar. Biol., 126:585-590.
73. Terauchi, E., K. Kuwano, M. Okauchi and N. Saga
1997
A method for cryopreservation of the *Tetraselimis tetrathele* (Prasinophyceae, chlorophyta).
Bull. Natl. Res. Inst. Aquacult., 26:13-25. (in Japanese with English summary)
74. Imai, S., K. Inouye, T. Kotani and K. Ogawa
1997
Two trichodinid species from the gills of cultured tiger puffer. *Takifugu rubripes*, in Japan, with the description of a new species.
Fish Pathol., 32(1):1-6
75. Kurita, J., K. Nakajima, I. Hirono and T. Aoki
1997
Molecular sequence analysis and PCR diagnosis of red sea bream iridovirus.
NRIA Int. Workshop, 119-123.
76. Kamaishi, T., T. Hashimoto, Y. Nakamura, Y. Masuda, F. Nakamura, K. Okamoto, M. Shimizu and M. Hasegawa
1996
Complete nucleotide sequences of the genes encoding translation elongation factors 1 α and 2 from a microsporidian parasite, *Glugea plecoglossi*: Implications for the deepest branching of eukaryotes.
J. Biochem., 120:1095-1103.
77. Maeno, Y. and K. Nakajima
1997
Comparison of two aquatic birnaviruses in yellowtail: viral deformity virus (VDV) and yellowtail ascites virus (YAV).
NRIA Int. Workshop, 27-28.
78. Matsuoka, S., K. Inouye and K. Nakajima
1996
Cultured fish species affected by red sea bream iridoviral disease from 1991 to 1995.
Fish Pathol., 31(4):233-234. (In Japanese with English summary)

79. Momoyama, K., M. Hiraoka, K. Inouye, T. Kimura, H. Nakano and M. Yasui
1997
Mass mortalities in the productions of juvenile greasyback shrimp. *Metapenaeus ensis*, caused by penaeid acute viremia (PAV).
Fish Pathol., 32(1):51-58.
80. Mori, H., S. Hara, K. Nakajima and Y. Inui
1997
cDNA cloning and expression of VP2 gene of yellowtail ascite virus by using a baculovirus vector.
NRIA Int. Workshop, 29-41.
81. Nakajima, K.
1997
Red sea bream iridovirus in Japan: antigen analysis and comparison with other fish iridoviruses.
NRIA Int. Workshop, 108-118.
82. Nakajima, K.
1997
Viral diseases in marine aquaculture in Japan.
UJNR Technical Report, 24:139-143.
83. Ogawa, K. and K. Inouye
1997
Heterobothrium infection of cultured tiger puffer, *Takifugu rubripes*-infection experiments.
Fish Pathol., 32(1):21-27.
84. Ogawa, K. and K. Inouye
1997
Heterobothrium infection of cultured tiger puffer, *Takifugu rubripes*- a field observation.
Fish Pathol., 32(1):15-20.
85. Ogawa, K. and K. Inouye
1997
Parasites of cultured tiger puffer (*Takifugu rubripes*) and their seasonal occurrences, with descriptions of two new species of *Gyrodactylus*.
Fish Pathol., 32(1):7-14.
86. Ototake, M., G. K. Iwama and T. Nakanishi

- 1996
The uptake of bovine serum albumin by the skin of bath-immunised rainbow trout
Oncorhynchus mykiss.
Fish Shellfish Immun., 6:321-333.
87. Akiyama, T., M. Shiraishi, T. Yamamoto and T. Unuma
1996
Effect of dietary tryptophan on maturation of ayu *Plecoglossus altivelis*.
Fish. Sci., 62(5):776-782.
88. Forster, I. and H. Ogata
1996
Growth and whole-body lipid content of juvenile red sea bream reared under different
conditions of exercise training and dietary lipid.
Fish. Sci., 62(3):404-409.
- 89 Kurokawa, T. and T. Suzuki
1996
Formation of the diffuse pancreas and the development of digestive enzyme
synthesis in larvae of the Japanese flounder *Paralichthys* .
Aquacult., 141:267-276.
- 90 Kurokawa, T., H. Tanaka, H. Kagawa and H. Ohta
1996
Absorption of protein molecules by the rectal cells in eel larvae *Anguilla
japonica*.
Fish. Sci. 62(5):832-833.
- 91 Oohara, I. and K. Sawano
1996
Sequence variation in the mitochondrial DNA genome of two domesticated strains of rainbow
trout *Oncorhynchus mykiss*.
Fish. Sci., 62(6):994-995.
92. Oohara, I., I. Sawano and T. Okazaki
1997
Mitochondrial DNA sequence analysis of the masu salmon-phylogeny in the genus
Oncorhynchus.
Mol. Phylogene. Evol., 7(1):71-78.
93. Oohara, I.
1997

Detection of single strand conformation polymorphisms (SSCPs) on mitochondrial DNA fragments between two domesticated strains of rainbow trout *Oncorhynchus mykiss*.
Fish. Sci., 63(1):151-152.

94. Suzuki, T. and T. Kurokawa

1996

Functional analyses of FGF during pharyngeal cartilage development in flounder (*Paralichthys livaceus*) embryo.

Zool. Sci., 13:883-891.

95. Yamamoto, T., T. Unuma, T. Akiyama and S. Kishi

1996

Utilization of malt protein flour in fingerling carp diets.

Fish. Sci., 62(5):783-789.

96. Yada, T. and F. Ito

1997

Differences in tolerance to acidic environments between two species of tilapia, *Oreochromis niloticus* and *O. mossambicus*.

Bull. Natl. Res. Inst. Fish. Sci., 9:11-18.